

Product Datasheet

hnRNP K Antibody NBP1-30975

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1


Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-30975

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-30975



NBP1-30975**hnRNP K Antibody**


Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol, 1% BSA
Target Molecular Weight	51 kDa

Product Description	
Description	Novus Biologicals Rabbit hnRNP K Antibody (NBP1-30975) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	3190
Gene Symbol	HNRNPK
Species	Human, Mouse, Rat
Reactivity Notes	Xenopus laevis (81%).
Immunogen	Recombinant protein encompassing a sequence within the center region of human hnRNP K. The exact sequence is proprietary.


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000

Images


Western Blot: hnRNP K Antibody [NBP1-30975] - Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with hnRNP K antibody diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.




Immunocytochemistry/Immunofluorescence: hnRNP K Antibody [NBP1-30975] - HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: hnRNP K stained by hnRNP K antibody diluted at 1:500. Red: phalloidin, a cytoskeleton marker, diluted at 1:100.




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - Paraffin-embedded H1299 xenograft, using antibody at 1:100 dilution.




Western Blot: hnRNP K Antibody [NBP1-30975] - Sample (50 ug of whole cell lysate) A: Mouse brain 10% SDS PAGE; antibody diluted at 1:1000.




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - Paraffin-embedded mouse urinary bladder. hnRNP K antibody dilution: 1:500.




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] -
Paraffin-embedded mouse colon. hnRNP K antibody dilution: 1:500.




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] -
Paraffin-embedded rat brain stem. hnRNP K antibody dilution: 1:500.




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] -
hnRNP K antibody detects hnRNP K protein at nucleus by
immunohistochemical analysis. Sample: Paraffin-embedded mouse
testis. hnRNP K stained by hnRNP K antibody (NBP1-30975) diluted at
1:1000. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] -
hnRNP K antibody detects hnRNP K protein at nucleus by
immunohistochemical analysis. Sample: Paraffin-embedded mouse
brain. hnRNP K stained by hnRNP K antibody (NBP1-30975) diluted at
1:1000. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - hnRNP K antibody detects hnRNP K protein at nucleus by immunohistochemical analysis. Sample: Paraffin-embedded rat heart. hnRNP K stained by hnRNP K antibody (NBP1-30975) diluted at 1:1000. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - hnRNP K antibody detects hnRNP K protein at nucleus by immunohistochemical analysis. Sample: Paraffin-embedded rat kidney. hnRNP K stained by hnRNP K antibody (NBP1-30975) diluted at 1:1000. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-30975

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP2-23120	Recombinant Human hnRNP K His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-30975

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

