Product Datasheet

Citidine Deaminase Antibody - BSA Free NBP1-31412

Unit Size: 100 ul

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-31412

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-31412



NBP1-31412

Citidine Deaminase Antibody - BSA Free


Citidine Deaminase Antibody - BSA Free	
Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS, 20% Glycerol
Target Molecular Weight	16 kDa
Product Description	
Host	Rabbit
Gene ID	978
Gene Symbol	CDA
Species	Human, Mouse
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Porcine (87%), Bovine (86%).
Immunogen	Recombinant protein encompassing a sequence within the center region of human Citidine Deaminase. The exact sequence is proprietary.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,

Immunohistochemistry-Paraffin 1:100-1:1000







Western Blot: Citidine Deaminase Antibody [NBP1-31412] - A. 50 ug mouse kidney lysate/extract 15% SDS-PAGE Citidine Deaminase antibody dilution: 1:500 The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.




Immunohistochemistry-Paraffin: Citidine Deaminase Antibody [NBP1-31412] - Paraffin-embedded Gastric CA N87 xenograft, using antibody at 1:100 dilution.



Western Blot: Citidine Deaminase Antibody [NBP1-31412] - Various whole cell extracts (30 ug) were separated by 15% SDS-PAGE, and the membrane was blotted with CDA antibody diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Western Blot: Citidine Deaminase Antibody [NBP1-31412] - Various whole cell extracts (30 ug) were separated by 15% SDS-PAGE, and the membrane was blotted with Citidine Deaminase antibody (NBP1-31412) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-31412

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-49306-0.1mg Recombinant Human Citidine Deaminase His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-31412

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

