

Product Datasheet

IPMK Antibody - BSA Free NBP1-32250

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3


Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-32250

Updated 11/11/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-32250



NBP1-32250

IPMK Antibody - BSA Free

Product Information

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS, 20% Glycerol
Target Molecular Weight	47 kDa

Product Description


Description	Novus Biologicals Knockout (KO) Validated Rabbit IPMK Antibody - BSA Free (NBP1-32250) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-IPMK Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	253430
Gene Symbol	IPMK
Species	Human, Mouse
Immunogen	Recombinant protein encompassing a sequence within the center region of human IPMK. The exact sequence is proprietary.

Product Application Details


Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry Assay dependent, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin Assay dependent

Images

Western Blot: IPMK Antibody [NBP1-32250] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with IPMK antibody [N1C2] diluted at 1:5000. The HRP-conjugated anti-rabbit IgG antibody NBP2-19301) was used to detect the primary antibody.




Immunocytochemistry/Immunofluorescence: IPMK Antibody [NBP1-32250] - Paraformaldehyde-fixed HeLa, using antibody at 1:200 dilution.




Immunohistochemistry-Paraffin: IPMK Antibody [NBP1-32250] - Mouse intestine. IPMK stained by IPMK antibody [N1C2] diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.




Western Blot: IPMK Antibody [NBP1-32250] - Sample (50 ug of whole cell lysate) A: Mouse brain 10% SDS PAGE diluted at 1:1000 The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Western Blot: IPMK Antibody [NBP1-32250] -Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with IPMK antibody [N1C2] diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301)) was used to detect the primary antibody.



Western Blot: IPMK Antibody [NBP1-32250] - Non-transfected (–) and transfected (+) 293T whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with IPMK antibody [N1C2] diluted at 1:3000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



Publications

Hong S, Kim K, Shim YR et al. A non-catalytic role of IPMK is required for PLCγ1 activation in T cell receptor signaling by stabilizing the PLCγ1-Sam68 complex. *Cell communication and signaling* : CCS 2024-10-31 [PMID: 39478550]

Ik-Rak Jung, Rexford S. Ahima, Sangwon F. Kim, Giovanni Tarantino Time-Restricted Feeding Ameliorates Methionine–Choline Deficient Diet-Induced Steatohepatitis in Mice *International Journal of Molecular Sciences* 2024-01-23 [PMID: 38338668]

Tyagi R, Chakraborty S, Tripathi S et al. Inositol polyphosphate multikinase modulates redox signaling through nuclear factor erythroid 2-related factor 2 and glutathione metabolism *iScience* 2023-07-21 [PMID: 37456841] (WB, KO)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-32250

NL004	Donkey anti-Rabbit IgG Secondary Antibody [NL557]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00253430-P01-10ug	Recombinant Human IPMK GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-32250

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

