Product Datasheet

RFC4 Antibody - BSA Free NBP1-33083

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-33083

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-33083




NBP1-33083

RFC4 Antibody - BSA Free

0.1 ml
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Polyclonal
0.01% Thimerosal
IgG
Antigen Affinity-purified
0.1M Tris (pH 7), 0.1M Glycine, 10% Glycerol
Rabbit
5984
RFC4
Human, Mouse
Mouse reactivity determined by WB.
Recombinant protein encompassing a sequence within the center region of human RFC4. The exact sequence is proprietary.
Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Western Blot 1:500-1:3000, Immunohistochemistry 10 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000

Images

Immunocytochemistry/Immunofluorescence: RFC4 Antibody [NBP1-33083] - Paraformaldehyde-fixed A549, using antibody at 1:200 dilution.





Immunohistochemistry-Paraffin: RFC4 Antibody [NBP1-33083] - RFC4 antibody detects RFC4 protein at nucleus by immunohistochemical analysis. Sample: Paraffin-embedded MDA-MB-231xenograft. RFC4 antibody diluted at 1:250. Western Blot: RFC4 Antibody [NBP1-33083] - Sample (50 ug of whole KDa 130 cell lysate) A: mouse liver 10% SDS PAGE, antibody diluted at 1:500. 95 72 Immunohistochemistry-Paraffin: RFC4 Antibody [NBP1-33083] - Paraffinembedded MDAMB-468 Xenograft, using antibody at 1:100 dilution. Western Blot: RFC4 Antibody [NBP1-33083] - Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with RFC4 antibody [N1C3] (NBP1-33083) diluted at 1:500. The 130 -HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-33083

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00005984-P01-10ug Recombinant Human RFC4 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-33083

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

