Product Datasheet

HSD17B4 Antibody - BSA Free NBP1-33192

Unit Size: 100 ul

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-33192

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-33192




NBP1-33192

HSD17B4 Antibody - BSA Free

HSD17B4 Antibody - BSA Free	
100 ul	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.	
Polyclonal	
0.01% Thimerosal	
IgG	
Antigen Affinity-purified	
0.1M Tris-Glycine (pH7), 10% Glycerol	
80 kDa	
Rabbit	
3295	
HSD17B4	
Human, Rat	
Mouse reactivity reported in scientific literature (PMID: 31757939).	
Recombinant protein encompassing a sequence within the center region of human HSD17B4. The exact sequence is proprietary.	
Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin	
Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000	

Images


Western Blot: HSD17B4 Antibody [NBP1-33192] - HSD17B4 antibody detects HSD17B4 protein A. 20 ug Rat heart lysate/extract 7.5% SDS-PAGE HSD17B4 antibody dilution: 1:3000




Immunocytochemistry/Immunofluorescence: HSD17B4 Antibody [NBP1-33192] - Analysis of methanol-fixed Hep3B, using HSD17B4antibody at 1:500 dilution.




Immunohistochemistry-Paraffin: HSD17B4 Antibody [NBP1-33192] - Rat heart. HSD17B4 antibody diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.



Immunohistochemistry-Paraffin: HSD17B4 Antibody [NBP1-33192] - DLD-1 xenograft, using HSD17B4 antibody at 1:500 dilution. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.



Immunohistochemistry-Paraffin: HSD17B4 Antibody [NBP1-33192] - Rat testis. HSD17B4 antibody diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.



Publications

DAvalos-Salas M, Montgomery MK, Reehorst CM et al. Deletion of intestinal Hdac3 remodels the lipidome of enterocytes and protects mice from diet-induced obesity Nat Commun 2019-11-22 [PMID: 31757939] (WB, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-33192

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-85296PEP HSD17B4 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-33192

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

