Product Datasheet

IMPACT Antibody - BSA Free NBP1-42678

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-42678

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-42678



NBP1-42678

IMPACT Antibody - BSA Free

Product Information		
Unit Size	100 ul	
Concentration	1.0 mg/ml	
Storage	Store at 4C. Do not freeze.	
Clonality	Polyclonal	
Preservative	0.09% Sodium Azide	
Isotype	IgG	
Purity	Immunogen affinity purified	
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)	
Product Description		
Description	Novus Biologicals Rabbit IMPACT Antibody - BSA Free (NBP1-42678) is a polyclonal antibody validated for use in WB and IP. Anti-IMPACT Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.	


•	polyclonal antibody validated for use in WB and IP. Anti-IMPACT Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	55364
Gene Symbol	IMPACT
Species	Human
Immunogen	The immunogen for this product maps to a region between residue 270 and 320 of human imprinted and ancient homolog using the numbering given in entry

Product Application Details	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunoprecipitation 2-5 ug/mg lysate

NP 060909.1 (GenelD 55364).

Images

Western Blot: IMPACT Antibody [NBP1-42678] - Whole cell lysate from HeLa (5, 15 and 50 mcg for WB; 1 mg for IP, 20% of IP loaded) and 293T (T; 50 mcg) cells. Antibodies: Affinity purified rabbit anti-IMPACT antibody used for WB at 0.4 mcg/ml (A) and 1 mcg/ml (B) and used for IP at 3 mcg/mg lysate. IMPACT was also immunoprecipitated by another rabbit anti-IMPACT antibody which recognizes an upstream epitope.



Publications

Yoko Tajima, Keiichi Ito, Yuan Yuan, Mayu O Frank, Yuhki Saito, Robert B Darnell NOVA1 acts on Impact to regulate hypothalamic function and translation in inhibitory neurons. Cell reports 2023-10-05 [PMID: 36716149]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-42678

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-23135 Recombinant Human IMPACT His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-42678

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

