

Product Datasheet

CXCR2/IL-8RB Antibody (5E8-C7-F10) - BSA Free NBP1-43338-0.1mg

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-43338

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-43338



NBP1-43338-0.1mg

CXCR2/IL-8RB Antibody (5E8-C7-F10) - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	5E8-C7-F10
Preservative	0.09% Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A or G purified
Buffer	PBS (pH 7.2)


Product Description	
Host	Mouse
Gene ID	3579
Gene Symbol	CXCR2
Species	Human
Immunogen	The immunogen for this antibody was CD182.

Product Application Details	
Applications	Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Flow Cytometry 1:10-1:1000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:100




Images


Immunohistochemistry-Paraffin: CXCR2/IL-8 RB Antibody (5E8-C7-F10) [NBP1-43338] - CXCR2positive breast cancer cells in the human brain. CXCR2-red fluorochrome, nucleus-DAPI. Antibody used at dilution of 1:100. This image was submitted via customer Review.



Flow Cytometry: CXCR2/IL-8 RB Antibody (5E8-C7-F10) [NBP1-43338] - Analysis using the PE conjugate of NBP1-43338. Staining of normal human peripheral blood cells with Anti-Human CD4 APC (left) or Anti-Human CD56 (NCAM) APC (right) and Anti-Human CD182 (CXCR2) PE. Cells in the lymphocyte gate were used for analysis.



Flow Cytometry: CXCR2/IL-8 RB Antibody (5E8-C7-F10) [NBP1-43338] - Staining of normal human peripheral blood cells with 0.25 ug of Mouse IgG1 kappa Isotype Control Purified (left) or 0.25 ug of Anti-Human CD182 (CXCR2) Purified (right) followed by F(ab')₂ Anti-Mouse IgG PE. Cells in the large scatter population were used for analysis.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-43338-0.1mg

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
NBP2-00220	CXCR2/IL-8RB Antibody (5E8-C7-F10) [PE]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-43338

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

