Product Datasheet

PDGFR alpha Antibody (APA5) [PE/Cy7] NBP1-43350PECY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-43350PECY7

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-43350PECY7



NBP1-43350PECY7

PDGFR alpha Antibody (APA5) [PE/Cy7]	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark. Do not freeze.
Clonality	Monoclonal
Clone	APA5
Preservative	0.05% Sodium Azide
Isotype	IgG2a Kappa
Conjugate	PE/Cy7
Purity	Protein A or G purified
Buffer	PBS
Product Description	
Host	Rat
Gene ID	5156
Gene Symbol	PDGFRA
Species	Human, Mouse
Reactivity Notes	Human reactivity reported from a verified customer review.
Immunogen	The immunogen for this antibody was CD140a.
Product Application Details	
Applications	Flow Cytometry
Recommended Dilutions	Flow Cytometry
Application Notes	Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any questions. In flow cytometry, we recommend using a cell surface staining protocol and fixation and permeabilization is not required to get staining. If fixation/permeabilization is needed for other markers in the same experiment, we recommend doing all surface staining prior to the fix/perm procedure. This



antibody may not bind to a fixed epitope.

recommend doing all surface staining prior to the fix/perm procedure. This



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-43350PECY7

NBP1-42945-0.05mg Rat IgG2a Kappa Light Chain Isotype Control (R2a) [PE/Cy7]

NBP2-76508PEP PDGFR alpha Recombinant Protein Antigen

DVE00 VEGF [HRP]

DYC2114-2 PDGFR alpha [Biotin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-43350PECY7

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

