Product Datasheet

CD23/Fc epsilon RII Antibody (EBVCS2) [PE] NBP1-43882-100tests

Unit Size: 100 Tests

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-43882

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-43882




NBP1-43882-100tests

CD23/Fc epsilon RII Antibody (EBVCS2) [PE]

Product InformationUnit Size100 TestsConcentration5 mg/mlStorageStore at 4C in the dark.ClonalityMonoclonalCloneEBVCS2Preservative0.09% Sodium AzideIsotypeIgG1ConjugatePEPurityProtein A or G purifiedBufferPBS (pH 7.2) with 0.1% gelatin and 0.2% BSAProduct Description2208Gene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryRecommended DilutionsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 up per test. Cell number should be determined empirically but can range from 10/5 to 10/8cells/test.		
Concentration5 mg/mlStorageStore at 4C in the dark.ClonalityMonoclonalCloneEBVCS2Preservative0.09% Sodium AzideIsotypeIgG1ConjugatePEPurityProtein A or G purifiedBufferPBS (pH 7.2) with 0.1% gelatin and 0.2% BSAProduct DescriptionHostMouseGene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow Cytometry 1:10-1:1000Application NotesFlow Cytometry 1:10-1:1000Application NotesFlow Cytometry 1:10-1:1000	Product Information	
Storage Store at 4C in the dark. Clonality Monoclonal Clone EBVCS2 Preservative 0.09% Sodium Azide Isotype IgG1 Conjugate PE Purity Protein A or G purified Buffer PBS (pH 7.2) with 0.1% gelatin and 0.2% BSA Product Description House Gene ID 2208 Gene Symbol FCER2 Species Human Immunogen The immunogen for this antibody was CD23. Product Application Details Flow Cytometry Applications Flow Cytometry 1:10-1:1000 Application Notes The EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10% sto	Unit Size	100 Tests
ClonalityMonoclonalCloneEBVCS2Preservative0.09% Sodium AzideIsotypeIgG1ConjugatePEPurityProtein A or G purifiedBufferPBS (pH 7.2) with 0.1% gelatin and 0.2% BSAProduct DescriptionHostMouseGene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10% stored s	Concentration	5 mg/ml
CloneEBVCS2Preservative0.09% Sodium AzideIsotypeIgG1ConjugatePEPurityProtein A or G purifiedBufferPBS (pH 7.2) with 0.1% gelatin and 0.2% BSAProduct DescriptionHostMouseGene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10°/510	Storage	Store at 4C in the dark.
Preservative0.09% Sodium AzideIsotypeIgG1ConjugatePEPurityProtein A or G purifiedBufferPBS (pH 7.2) with 0.1% gelatin and 0.2% BSAProduct DescriptionMouseHostMouseGene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Clonality	Monoclonal
IsotypeIgG1ConjugatePEPurityProtein A or G purifiedBufferPBS (pH 7.2) with 0.1% gelatin and 0.2% BSAProduct DescriptionHostMouseGene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Clone	EBVCS2
ConjugatePEPurityProtein A or G purifiedBufferPBS (pH 7.2) with 0.1% gelatin and 0.2% BSAProduct DescriptionMouseHostMouseGene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Preservative	0.09% Sodium Azide
PurityProtein A or G purifiedBufferPBS (pH 7.2) with 0.1% gelatin and 0.2% BSAProduct DescriptionMouseHostMouseGene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10% 5to	Isotype	lgG1
BufferPBS (pH 7.2) with 0.1% gelatin and 0.2% BSAProduct DescriptionHostMouseGene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Conjugate	PE
Product Description Host Mouse Gene ID 2208 Gene Symbol FCER2 Species Human Immunogen The immunogen for this antibody was CD23. Product Application Details Applications Applications Flow Cytometry Recommended Dilutions Flow Cytometry 1:10-1:1000 Application Notes The EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Purity	Protein A or G purified
HostMouseGene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Buffer	PBS (pH 7.2) with 0.1% gelatin and 0.2% BSA
Gene ID2208Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Product Description	
Gene SymbolFCER2SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsApplicationsFlow CytometryRecommended DilutionsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Host	Mouse
SpeciesHumanImmunogenThe immunogen for this antibody was CD23.Product Application DetailsFlow CytometryApplicationsFlow CytometryRecommended DilutionsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Gene ID	2208
ImmunogenThe immunogen for this antibody was CD23.Product Application DetailsApplicationsFlow CytometryRecommended DilutionsFlow Cytometry 1:10-1:1000Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Gene Symbol	FCER2
Product Application Details Applications Flow Cytometry Recommended Dilutions Flow Cytometry 1:10-1:1000 Application Notes The EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Species	Human
Applications Flow Cytometry Recommended Dilutions Flow Cytometry 1:10-1:1000 Application Notes The EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Immunogen	The immunogen for this antibody was CD23.
Recommended Dilutions Flow Cytometry 1:10-1:1000 Application Notes The EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Product Application Details	
Application NotesThe EBVCS2 antibody has been tested by flow cytometric analysis of human peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Applications	Flow Cytometry
peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to	Recommended Dilutions	Flow Cytometry 1:10-1:1000
	Application Notes	peripheral blood leukocytes. This can be used at less than or equal to 0.5 ug per test. Cell number should be determined empirically but can range from 10^5to

Images

Flow Cytometry: CD23/Fc epsilon RII Antibody (EBVCS2) [PE] [NBP1-43882] - See Notes







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-43882-100tests

DCD230	CD23/Fc epsilon RII [HRP]
210-TA-005	TNF-alpha [Unconjugated]
NBP2-35242-5ug	Recombinant Human CD23/Fc epsilon RII Protein
NBP1-97005PE	Mouse IgG1 Isotype Control (MG1) [PE]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-43882

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

