Product Datasheet

CD90/Thy1 Antibody (1aG4/C5) [CoraFluor™ 1] NBP1-44877CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-44877CL1

Updated 8/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-44877CL1



NBP1-44877CL1

CD90/Thy1 Antibody (1aG4/C5) [CoraFluor™ 1]

Storage Store at 4C in the dark. Do not freeze. Clonality Monocional Clone 1aG4/C5 Preservative No Preservative Isotype IgG3 Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes absorb at the emission wavelengths of CoraFluor(TM) 1. Amine reactive CoraFluor(TM) 1. thiol reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology Host Mouse Gene ID 7070 Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the strong the strong to	oboon my in masoay (rao i	(es) [estat last 1]
Please see the vial label for concentration. If unlisted please contact techn services.	Product Information	
Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone 1aG4/C5 Preservative No Preservative Isotype IgG3 Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. OraFluor(T absorbs UV light at approximately 340 nm, and emits at approximately 340 sas on the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 be used for the development of robust and scalable TR-FRET binding ass such as target engagement, ternary complex, protein-protein interaction an protein quantification assays. CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology. Host Mouse Gene ID 7070 Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the schools, Mouse, Mouse-On-Mouse blocking reagent may be needed for IHC in ICC experiments to reduce high background signal. You can find these re under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (C does not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfa linked glycoprotein (Immunoglobulin superfamily); in the mouse it is expresional through the properties of the properties of the mouse it is expresional through the school of the properties of the properties of the properties of the core. Thy-1.2 positive) Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purpor all thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive)	Unit Size	0.1 ml
Clone 1aG4/C5 Preservative No Preservative Isotype IgG3 Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Re Pluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 be used for the development of robust and scalable TR-FRET binding as such as target engagement, ternary complex, protein-protein interaction as such as target engagement, ternary complex, protein-protein interaction as such as target engagement, ternary complex, protein-protein interaction as protein quantification assays. CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology Host Mouse Gene ID 7070 Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the schools, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC in ICC experiments to reduce high background signal. You can find these re under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Close son to cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfae linked glycoprotein (Immunoglobulin superfamily); in the mouse it is expression all thymocytes and peripheral Tiymphocytes.	Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Clone 1aG4/C5 Preservative No Preservative Isotype 1gG3 Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(Td absorbs UV light at approximately 340 nm, and emits at approximately 49f 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 be used for the development of robust and scalable TR-FRET binding ass such as target engagement, ternary complex, protein-protein interaction at protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology Mouse Gene ID 7070 Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the shost, Mouse, Mouse-On-Mouse blocking reagent may be needed for IHC in ICC experiments to reduce high background signal. You can find these re under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (cdoes not cross-creact with Thy-1 1 alloantigen. Thy-1 is a 18 kDa cell surfalinked glycoprotein (Immunoglobulin superfamily); in the mouse it is expression all thymocytes and peripheral T lymphocytes. Immunogen thymocytes from C3H/D incic (aellei form: Thy-1.2 positive)	Storage	Store at 4C in the dark. Do not freeze.
Preservative Sotype IgG3	Clonality	Monoclonal
Isotype	Clone	1aG4/C5
Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-ReFluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(Tabsorbs UV light at approximately 340 nm, and emits at approximately 494 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 be used for the development of robust and scalable TR-FRET binding ass such as target engagement, ternary complex, protein-protein interaction as protein quantification assays. CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology Mouse Gene ID 7070 Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the sinds, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC in CC experiments to reduce high background signal. You can find these under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Cdes not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfainked glycoprotein (Immunoglobulin superfamily); in the mouse it is expresion all thymocytes from C3H/Di mice (alleic form: Thy-1.2 positive) Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purp	Preservative	No Preservative
Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Re Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) absorbs UV light at approximately 340 nm, and emits at approximately 490 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 be used for the development of robust and scalable TR-FRET binding ass such as target engagement, ternary complex, protein-protein interaction at protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology Mouse Gene ID 7070 Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the school, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC in ICC experiments to reduce high background signal. You can find these re under catalog numbers PK-2200-NB and IMP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Cdoes not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfainked glycoprotein (Immunoglobulin superfamily); in the mouse it is expresonal thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive) Notes CoraFluor(TM) is a trademark of Bio-Techne Corp. Sold for research purp	Isotype	IgG3
Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Re Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(T absorbs UV light at approximately 340 nm, and emits at approximately 494 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 be used for the development of robust and scalable TR-FRET binding ass such as target engagement, ternary complex, protein-protein interaction as protein quantification assays. CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology Mouse Gene ID 7070 Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the schost, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC; ICC experiments to reduce high background signal. You can find these reunder catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Cdoes not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfalinked glycoprotein (Immunoglobulin superfamily); in the mouse it is expreson all thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive) Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purp	Conjugate	CoraFluor 1
Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Refluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) absorbs UV light at approximately 340 nm, and emits at approximately 495 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 be used for the development of robust and scalable TR-FRET binding assuch as target engagement, ternary complex, protein-protein interaction as protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology. Mouse Gene ID 7070 Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the schost, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC receptional Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Cdes not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfailinked glycoprotein (Immunoglobulin superfamily); in the mouse it is expresion all thymocytes and peripheral T lymphocytes. Immunogen Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purpore the surfaments of the core of the purpore to the surfaments of the core	Purity	Protein A purified
CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Res Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(T absorbs UV light at approximately 340 nm, and emits at approximately 495 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 be used for the development of robust and scalable TR-FRET binding ass such as target engagement, ternary complex, protein-protein interaction as protein quantification assays. CoraFluor(TM) 1, amine reactive	Buffer	PBS
Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(Tabsorbs UV light at approximately 340 nm, and emits at approximately 490 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 be used for the development of robust and scalable TR-FRET binding ass such as target engagement, ternary complex, protein-protein interaction at protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology Mouse Gene ID 7070 Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the schost, Mouse-On-Mouse blocking reagent may be needed for IHC il ICC experiments to reduce high background signal. You can find these re under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1 is a 18 kDa cell surfacilinked glycoprotein (Immunoglobulin superfamily); in the mouse it is expresion all thymocytes and peripheral T lymphocytes. Immunogen thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive) Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purp	Product Description	
Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the schost, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC a ICC experiments to reduce high background signal. You can find these reunder catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Cl does not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfar linked glycoprotein (Immunoglobulin superfamily); in the mouse it is express on all thymocytes and peripheral T lymphocytes. Immunogen CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purp	Description	Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. CoraFluor(TM) 1, amine reactive
Gene Symbol THY1 Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the sational host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC at ICC experiments to reduce high background signal. You can find these resunder catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Cladoes not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfact linked glycoprotein (Immunoglobulin superfamily); in the mouse it is expression all thymocytes and peripheral T lymphocytes. Immunogen thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive) Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes.	Host	Mouse
Species Mouse, Human (Negative), Rat (Negative) Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the satic host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC at ICC experiments to reduce high background signal. You can find these resunder catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Clease does not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfact linked glycoprotein (Immunoglobulin superfamily); in the mouse it is express on all thymocytes and peripheral T lymphocytes. Immunogen thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive) CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purp	Gene ID	7070
Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC at ICC experiments to reduce high background signal. You can find these resunder catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Cladoes not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfact linked glycoprotein (Immunoglobulin superfamily); in the mouse it is expression all thymocytes and peripheral T lymphocytes. Immunogen thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive) CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purp	Gene Symbol	THY1
host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC a ICC experiments to reduce high background signal. You can find these re under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Marker Mesenchymal Cell Marker Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Cl does not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfact linked glycoprotein (Immunoglobulin superfamily); in the mouse it is expression all thymocytes and peripheral T lymphocytes. Immunogen thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive) CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purp	Species	Mouse, Human (Negative), Rat (Negative)
Specificity/Sensitivity The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (Cl does not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfact linked glycoprotein (Immunoglobulin superfamily); in the mouse it is expression all thymocytes and peripheral T lymphocytes. Immunogen thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive) CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purpherses.	Reactivity Notes	
does not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surfaction linked glycoprotein (Immunoglobulin superfamily); in the mouse it is expression all thymocytes and peripheral T lymphocytes. Immunogen thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive) Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purphers.	Marker	Mesenchymal Cell Marker
Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purp	Specificity/Sensitivity	The antibody 1aG4/C5 recognizes alloantigen Thy-1.2 of mouse Thy-1 (CD90); it does not cross-react with Thy-1.1 alloantigen. Thy-1 is a 18 kDa cell surface GPI linked glycoprotein (Immunoglobulin superfamily); in the mouse it is expressed on all thymocytes and peripheral T lymphocytes.
	Immunogen	thymocytes from C3H/Di mice (alelic form: Thy-1.2 positive)
2022/0025254	Notes	CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254



	9
Product Application Details	
Applications	Western Blot, Flow Cytometry, Flow (Cell Surface), Functional, Immunocytochemistry/ Immunofluorescence, CyTOF-ready
Recommended Dilutions	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Functional, Flow (Cell Surface), CyTOF-ready
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-44877CL1

NBP2-52389-0.02mg Recombinant Human CD90/Thy1 His Protein

DC140 CD14 [HRP] 7335-CD-050 CD90/Thy1

AF3628 CD31/PECAM-1 Antibody [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-44877CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

