

Product Datasheet

HLA G Antibody (2A12) - BSA Free NBP1-44925

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-44925

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-44925



NBP1-44925


HLA G Antibody (2A12) - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	2A12
Preservative	0.9% Sodium Azide
Isotype	IgG1
Purity	Multi-step
Buffer	PBS (pH 7.4)
Product Description	
Host	Mouse
Gene ID	3135
Gene Symbol	HLA-G
Species	Human
Specificity/Sensitivity	The antibody 2A12 allows to discriminate between soluble HLA-G protein yielded by shedding from membrane-bound HLA-G forms that do not contain the intron 4 -encoded epitope and soluble HLA-G5/HLA-G6 produced from intron 4-retaining alternatively spliced mRNAs. HLA-G belongs to the MHC Class I molecules (MHC Class Ib; nonclassical) and it is expressed on the surface of trophoblast cells.
Immunogen	C-terminal amino acid sequence (22-mer) of soluble HLA-G5 and HLA-G6 proteins coupled to ovalbumin (NM_002127.5).
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, CyTOF-ready
Recommended Dilutions	Western Blot 1:1000, Flow Cytometry 1-4 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:200, Immunohistochemistry-Frozen 1:200, CyTOF-ready
Application Notes	Flow Cytometry: excellent for intracellular staining. This antibody is CyTOF ready.




Images


Flow Cytometry: HLA G Antibody (2A12) [NBP1-44925] - Surface staining of HLA-G (on transfected cells, red and orange) with anti-HLA-G (2A12) FITC, compared with nontransfected cells (blue, green).



Flow Cytometry: HLA G Antibody (2A12) [NBP1-44925] - Surface staining of HLA-G (on transfected cells) with anti-HLA-G (2A12) purified, GAM-APC.



Separation of HLA-G transfected HEK-293 cells (red-filled) from HLA-G negative debris (black-dashed) in Analysis (intracellular staining) of HLA-G transfected HEK-293 cells using anti-human HLA-G (2A12) purified antibody (concentration in sample 4 ug/ml) GAM APC.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-44925

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP2-61457-20ug	Recombinant Human HLA G His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-44925

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

