Product Datasheet

UBR2 Antibody NBP1-45243

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 12

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-45243

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-45243



NBP1-45243


UBR2 Antibody

UBR2 Antibody	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Description	Novus Biologicals Goat UBR2 Antibody (NBP1-45243) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-UBR2 Antibody: Cited in 12 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	23304
Gene Symbol	UBR2
Species	Human, Mouse
Reactivity Notes	Human reactivity reported in scientific literature (PMID: 28740232). Mouse reactivity reported in scientific literature (PMID: 27897407).
Immunogen	Peptide with sequence SCPKSGGDKSRAPT corresponding to internal region according to NP_056070.1.
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA
Recommended Dilutions	Western Blot 0.1 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 5ug/ml, Peptide ELISA Detection limit 1:32000
Application Notes	WB: Preliminary experiments gave bands at approx. 150 kDa band in rat testis lysates after 0.01 ug/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the bands we observe given the calculated size of 199 kDa band according to rat NP_001171542.1. The detected band was successfully blocked by incubation with the immunizing peptide (and BLAST results with the immunizing peptide sequence did not identify any other proteins to explain the additional bands).




Images


Western Blot: UBR2 Antibody [NBP1-45243] - CD9-positive EVs induce catabolic response in C2C12 myotubes. EVs isolated from LCM were subjected to immunoprecipitation (IP) against CD9 with pre-immune IgG as control. Resulted pellet and supernatant (Sup) were used to treat C2C12 myotubes and compared with PBS and input EVs for catabolic activity using western blotting. Data (n=3) were analyzed by analysis of variance (ANOVA) and * denotes a difference from PBS treatment (P<0.05). Image collected and cropped by CiteAb from the following publication (nature.com/articles/s41467-017-00726-x), licensed under a CC-BY license.



Immunohistochemistry-Paraffin: UBR2 Antibody [NBP1-45243] - Staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



UBR2 Antibody [NBP1-45243] - Hsp70 and 90-deficient LLC tumor does not induce muscle catabolism in mice. TA of mice derived from b was analyzed by western blotting for markers of catabolic pathways. Data (n=6) were analyzed by ANOVA. * denotes a difference (P<0.05). Image collected and cropped by CiteAb from the following publication (nature.com/articles/s41467-017-00726-x), licensed under a CC-BY license.



Publications

Liu Z, Xiong J, Gao S et al. Ameliorating cancer cachexia by inhibiting cancer cell release of Hsp70 and Hsp90 with omeprazole Journal of Cachexia, Sarcopenia and Muscle 2022-02-01 [PMID: 34729960]

Wu HY, Trevino JG, Fang BL et al. Patient-Derived Pancreatic Cancer Cells Induce C2C12 Myotube Atrophy by Releasing Hsp70 and Hsp90 Cells 2022-09-03 [PMID: 36078164]

Shi X, Yang J, Liu M et al. Circular RNA ANAPC7 inhibits tumor growth and muscle wasting via PHLPP2-AKT-TGF-beta signaling axis in pancreatic cancer Gastroenterology 2022-02-14 [PMID: 35176309] (WB, Mouse)

Sin, T K, Zhang, G Et al. Cancer-induced muscle wasting requires p38beta MAPK activation of p300. Cancer Res 2020-12-22 [PMID: 33355181] (Chemotaxis, Human)

Liu Zhelong, Sin Ka Wai Thomas, Ding Hui et al. p38 beta MAPK mediates ULK1-dependent induction of autophagy in skeletal muscle of tumor-bearing mice. Cell Stress 2018-10-10 [PMID: 31225455] (WB, Mouse)

Li YP, Sin TK, Zhu JZ, Zhang G. p300 mediates muscle wasting in Lewis lung carcinoma Cancer Res. 2019-01-31 [PMID: 30705122] (WB, Mouse)

Zhang Guohua, Liu Zhelong, Ding Hui et al. Toll-like receptor 4 mediates Lewis lung carcinoma-induced muscle wasting via coordinate activation of protein degradation pathways. Scientific Reports 2017-01-01 [PMID: 28536426] (WB, Mouse)

Zhang G, Liu Z, Ding H et al. Tumor induces muscle wasting in mice through releasing extracellular Hsp70 and Hsp90 Nat Commun 2017-09-19 [PMID: 28928431] (WB, Mouse)

Cha-Molstad H, Yu JE, Feng Z et al. p62/SQSTM1/Sequestosome-1 is an N-recognin of the N-end rule pathway which modulates autophagosome biogenesis Nat Commun 2017-07-24 [PMID: 28740232] (WB, Human)

Ding H, Zhang G, Sin KW et al. Activin A induces skeletal muscle catabolism via p38beta mitogen activated protein kinase J Cachexia Sarcopenia Muscle 2016-07-25 [PMID: 27897407] (WB, Mouse)

Zenker M, Mayerle J, Lerch MM et al. Deficiency of UBR1, a ubiquitin ligase of the N-end rule pathway, causes pancreatic dysfunction, malformations and mental retardation (Johanson-Blizzard syndrome). Nat Genet 2005-12-01 [PMID: 16311597]

Zhang G, Lin RK, Kwon YT, Li YP. Signaling mechanism of tumor cell-induced up-regulation of E3 ubiquitin ligase UBR2 FASEB J 2013-04-08 [PMID: 23568773] (WB, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-45243

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

H00023304-P01-10ug Recombinant Human UBR2 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-45243

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



