Product Datasheet

TFIIE-alpha Antibody NBP1-46196

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-46196

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-46196



NBP1-46196

TFIIE-alpha Antibody

Product Information	
Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA
Product Description	
Host	Rabbit
Gene ID	2960
Gene Symbol	GTF2E1
Species	Human, Mouse
Reactivity Notes	Orangutan (100%).
Immunogen	The immunogen for this product maps to a region between residue 389 and 439 of human General Transcription Factor IIE, polypeptide 1, alpha, using the numbering given in entry NP_005504.2 (GeneID 2960).
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunohistochemistry, Immunoprecipitation 2-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:100 - 1:500
Application Notes	Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections.




B. IP/WB

Images

Western Blot: TFIIE-alpha Antibody [NBP1-46196] - Samples: Whole cellA.WBIysate from HeLa (5, 15 and 50 ug for WB; 1 mg for IP, 20% of IPIoaded), 293T (T; 50 ug), and mouse NIH3T3 (M; 50 ug) cells.Ioaded), 293T (T; 50 ug), and mouse NIH3T3 (M; 50 ug) cells.Antibodies: Affinity purified rabbit anti-TFIIE-alpha antibody NBP1-46196Ioaded), 293T (T; 50 ug), and mouse NIH3T3 (M; 50 ug) cells.Ioaded), 293T (T; 50 ug), and mouse NIH3T3 (M; 50 ug) cells.Antibodies: Affinity purified rabbit anti-TFIIE-alpha antibody NBP1-46196Ioaded), 293T (T; 50 ug), and 0.4 ug/ml (B) and used for IP at 3Ioaded), 293T (T; 50 ug), and 0.4 ug/ml (B) and used for IP at 3ug/mg lysate. TFIIE-alpha was also immunoprecipitated by rabbit anti-TFIIE-alpha antibody NBP1-46195, which recognizes an upstreamIoaded), 293T (T; 50 ug), and 3 seconds (B).

Immunohistochemistry-Paraffin: TFIIE-alpha Antibody [NBP1-46196] -Section of human colon carcinoma (left) and mouse renal cell carcinoma (right). Antibody: Affinity purified rabbit anti- GTF2E1/TFIIE-alpha used at a dilution of 1:200 (1ug/ml). Detection: DAB



www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-46196

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00002960-P01-10ug	Recombinant Human TFIIE-alpha GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-46196

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

