Product Datasheet

DYDC1 Antibody NBP1-47218

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-47218

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-47218



NBP1-47218

DYDC1 Antibody


| Product Information | | |
|---------------------|--|--|
| Unit Size | 0.1 mg | |
| Concentration | 0.5 mg/ml | |
| Storage | Store at -20C. Avoid freeze-thaw cycles. | |
| Clonality | Polyclonal | |
| Preservative | 0.02% Sodium Azide | |
| Isotype | IgG | |
| Purity | Immunogen affinity purified | |
| Buffer | Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA | |
| Product Proprietion | | |

| Product Description | | |
|---------------------|---|--|
| Description | Novus Biologicals Goat DYDC1 Antibody (NBP1-47218) is a polyclonal antibody validated for use in WB and ELISA. Anti-DYDC1 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. | |
| Host | Goat | |
| Gene ID | 143241 | |
| Gene Symbol | DYDC1 | |
| Species | Human | |
| Immunogen | Peptide with sequence C-RNEDILHSEEATLD corresponding to internal region according to NP_620167.1. | |

| Product Application Details | |
|------------------------------------|--|
| Applications | Western Blot, Peptide ELISA |
| Recommended Dilutions | Western Blot 0.5 - 1 ug/ml, Peptide ELISA Detection limit 1:16000 |
| Application Notes | WB: In transfected HEK293 transiently expressing human DYDC1 (myc and DYKDDDK tagged), a band of approx. 28 kDa is observed. No bands are observed in mock-transfected HEK293 and the same band is observed using anti-myc antibody. |

Images

Western Blot: DYDC1 Antibody [NBP1-47218] - Lane A - NBP1-47218 (1ug/ml) staining of HEK293 overexpressing Human DYDC1 lysate (10ug protein in RIPA buffer) Lane B - NBP1-47218 (1ug/ml) staining of HEK293 mock-transfected lysate (10ug protein in RIPA buffer). Lane C - EB00106 anti-MYC Tag (1/1000) staining HEK293 overexpressing Human DYDC1 lysate (10ug protein in RIPA buffer). Primary incubations were for 1 hour. Detected by chemiluminescence.



Publications

Deloukas P, Earthrowl ME, Grafham DV et al. The DNA sequence and comparative analysis of human chromosome 10. Nature 2004-05-01 [PMID: 15164054]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-47218

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

H00143241-P01-10ug Recombinant Human DYDC1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-47218

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



