

Product Datasheet

N-Cadherin Antibody (13A9) [DyLight 550] NBP1-48309R

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-48309R

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-48309R




NBP1-48309R**N-Cadherin Antibody (13A9) [DyLight 550]**

Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	13A9
Preservative	0.05% Sodium Azide
Isotype	IgG1
Conjugate	DyLight 550
Purity	Protein G purified
Buffer	50mM Sodium Borate
Target Molecular Weight	140 kDa
Product Description	
Host	Mouse
Gene ID	1000
Gene Symbol	CDH2
Species	Human, Mouse, Rat
Marker	Mesenchymal Cells Marker
Immunogen	This N-Cadherin Antibody (13A9) [DyLight 550] was developed against the cytoplasmic domain of human N Cadherin [Swiss-Prot# P19022].
Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Product Application Details	
Applications	Western Blot, Simple Western, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry
Recommended Dilutions	Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin, Flow (Intracellular), Immunocytochemistry
Application Notes	Optimal dilution of this antibody should be experimentally determined.

Images

Flow Cytometry: N-Cadherin Antibody (13A9) [DyLight 550] [NBP1-48309R] - An intracellular stain was performed on HeLa cells with N-Cadherin Antibody (13A9)NBP1-48309R and a matched isotype control (orange). Cells were fixed with 4% PFA and then permeabilized with 0.1% saponin. Cells were incubated in an antibody dilution of 10 $\mu\text{g}/\text{mL}$ for 30 minutes at room temperature. Both antibodies were conjugated to DyLight 550.



Copyright © 2018 Novus Biologicals



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-48309R

NBP1-97005R	Mouse IgG1 Isotype Control (MG1) [DyLight 550]
NBP1-48309G	N-Cadherin Antibody (13A9) [DyLight 488]
NBP2-59927-50ug	Recombinant Human N-Cadherin His Protein
DMP900	MMP-9 [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-48309R

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

