Product Datasheet

CCR2 Antibody [FITC] NBP1-48337F

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-48337F

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-48337F



NBP1-48337F

CCR2 Antibody [FITC]

Product Information			
Unit Size	0.1 ml		
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.		
Storage	Store at 4C in the dark.		
Clonality	Polyclonal		
Preservative	0.05% Sodium Azide		
Isotype	IgG		
Conjugate	FITC		
Purity	Immunogen affinity purified		
Buffer	PBS		
Product Description			
Host	Rabbit		
Gene ID	729230		
Gene Symbol	CCR2		
Species	Human, Rat, Bovine, Feline		
Reactivity Notes	Feline reactivity reported in scientific literature (PMID: 30395163). Use in Bovine reported in scientific literature (PMID:31761882). Reactivity with Rat reported by verified customer. The immunogen sequence similarity with other species: Rhesus monkey and several other primate species (100%), Mouse (69%).		
Immunogen	Synthetic peptide made to an N-terminal portion of the human CCR2 protein (within residues 20-100). [Swiss-Prot# P41597]		
Notes	This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.		
Product Application Details			
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin		
Recommended Dilutions	Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin		
Application Notes	Optimal dilution of this antibody should be experimentally determined.		

Images

CCR2 Antibody [FITC] [NBP1-48337F] - Vial of FITC conjugated antibody. FITC is optimally excited at 498 nm by the Blue laser (488 nm) and has an emission maximum of 519 nm.

Contraction of the second			
	FITC		
	LASER (nm)	FILTER	
FITC	Blue (488)	525/50	
	EXCITATION MAX (nm)	EMISSION MAX (nm)	
	498	519	
NOVUS			
CAUTION Research Use Only			

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-48337F

NBP2-24892	Rabbit IgG Isotype Control [FITC]
NBP1-48338PEP	CCR2 Antibody Blocking Peptide
210-TA-005	TNF-alpha [Unconjugated]
NBP1-48337PEP	CCR2 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-48337F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

