## **Product Datasheet**

### IgD Antibody (11-26c.2a) [Allophycocyanin] NBP1-49000APC

Unit Size: 0.5 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-49000APC

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-49000APC



#### NBP1-49000APC

IgD Antibody (11-26c.2a) [Allophycocyanin]

|                              | • •   |
|------------------------------|---|
| Product Information          |   |
| Unit Size                    | 0.5 ml  |
| Concentration                | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage                      | Store at 4C in the dark.  |
| Clonality                    | Monoclonal  |
| Clone                        | 11-26c.2a   |
| Preservative                 | 0.05% Sodium Azide  |
| Isotype                      | IgG2a Kappa   |
| Conjugate                    | Allophycocyanin   |
| Purity                       | Protein A or G purified   |
| Buffer                       | PBS   |
| Product Description          |   |
| Host                         | Rat   |
| Gene ID                      | 3495  |
| Gene Symbol                  | IGHD  |
| Species                      | Mouse   |
| Immunogen                    | This antibody was generated by immunizing host with mouse IgD                               |
| Product Application Details  |   |
| Applications                 | Flow Cytometry  |
| <b>Recommended Dilutions</b> | Flow Cytometry  |
| Application Notes            | Optimal dilution of this antibody should be experimentally determined.                      |
|                              |   |

#### Images

IgD Antibody (11-26c.2a) [Allophycocyanin] [NBP1-49000APC] - Vial of APC conjugated antibody. APC is optimally excited at 650 nm by the Red laser (633 or 640 nm) and has an emission maximum of 660 nm.









#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP1-49000APC

NBP1-43005-0.05mgRat IgG2a Kappa Light Chain Isotype Control (R2a) [Allophycocyanin]291-G1-200IGF-I/IGF-1 [Unconjugated]NBP2-60058-1KitHuman IgD ELISA Kit (Colorimetric)MAB1419Osteocalcin Antibody (190125)

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-49000APC

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

