

Product Datasheet

Tight Junction Protein 1 Antibody NBP1-49669-0.05mg

Unit Size: 0.05 mg

Store at 4C.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-49669

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-49669



NBP1-49669-0.05mg

Tight Junction Protein 1 Antibody

Product Information	
Unit Size	0.05 mg
Concentration	0.1 mg/ml
Storage	Store at 4C.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS, containing 0.1% BSA

Product Description	
Host	Guinea Pig
Gene ID	7082
Gene Symbol	TJP1
Species	Human, Mouse, Canine
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 23871805).
Marker	Intercellular Junctions/Tight Junction Marker
Specificity/Sensitivity	The polyclonal antibody is raised against a human peptide antigen corresponding to ten residues at the splice junction and as such recognizes specifically ZO-1 alpha-minus.
Immunogen	The polyclonal antibody is raised against a human peptide antigen corresponding to ten residues at the splice junction and as such recognizes specifically ZO-1 alpha-minus.

Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500, Immunohistochemistry-Frozen 1:10-1:500
Application Notes	For immunohistology, immunofluorescence and Western blotting, dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50.

Publications

Beckman D, Bonillas A, Diniz GB et al. SARS-CoV-2 infects neurons and induces neuroinflammation in a non-human primate model of COVID-19 Cell reports 2022-11-01 [PMID: 36288725]

Hanson C, Arnarsson A, Hardarson T et al. Transplanting embryonic stem cells onto damaged human corneal endothelium World J Stem Cells 2017-08-26 [PMID: 28928909] (IHC-P, Human)

Foti Cuzzola V, Galuppo M, Iori R et al. Beneficial effects of (RS)-glucoraphanin on the tight junction dysfunction in a mouse model of restraint stress. Life Sci 2013-08-28 [PMID: 23871805] (IHC-P, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-49669-0.05mg

NBP1-74874	Goat anti-Guinea Pig IgG (H+L) Secondary Antibody (Pre-adsorbed)
NBP1-97036-5mg	Guinea Pig IgG Isotype Control
NBP1-85046PEP	Tight Junction Protein 1 Recombinant Protein Antigen
210-TA-005	TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-49669

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

