## **Product Datasheet**

### Cystatin-8 Antibody NBP1-49834

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-49834

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-49834



#### NBP1-49834

Cystatin-8 Antibody

,			
Product Information			
Unit Size	0.1 mg		
Concentration	0.5 mg/ml		
Storage	Store at -20C. Avoid freeze-thaw cycles.		
Clonality	Polyclonal		
Preservative	0.02% Sodium Azide		
Isotype	IgG		
Purity	Immunogen affinity purified		
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA		
Product Description			
Host	Goat		
Gene ID	10047		
Gene Symbol	CST8		
Species	Human		
Immunogen	Peptide with sequence STNEICAIQENSK corresponding to internal region according to NP_005483.1.		
Product Application Details			
Applications	Western Blot, Peptide ELISA		
<b>Recommended Dilutions</b>	Western Blot 1 - 3 ug/ml, Peptide ELISA Detection limit 1:16000		
Application Notes	WB: In transfected HEK293 transiently expressing human CST8 (MYC and DYKDDDDK tagged), a band of approx. 23 kDa is observed. No bands are observed in mock-transfected HEK293 and the same band is observed using		

#### Images

Western Blot: Cystatin-8 Antibody [NBP1-49834] - HEK293 lysate (10ug protein in RIPA buffer) overexpressing Human CST8 with C-terminal MYC tag probed with (1ug/ml) in Lane A and probed with anti-MYC Tag (1/1000) in lane C. Mock-transfected HEK293 probed with (1mg/ml) in Lane B. Primary incubations were for 1 hour. Detected by chemiluminescence.	250kDa 150kDa 100kDa 75kDa 50kDa 37kDa	B	C
	25kDa 20kDa		

anti-myc tag antibody.

#### **Publications**

Chapuis J, Hot D, Hansmannel F et al. Transcriptomic and genetic studies identify IL-33 as a candidate gene for Alzheimer's disease. Mol Psychiatry 2009-11-01 [PMID: 19204726]



15kDa



#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP1-49834

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
H00010047-P01-10ug	Recombinant Human Cystatin-8 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-49834

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com



www.novusbio.com



technical@novusbio.com