Product Datasheet

Nucleoporin 107 Antibody NBP1-49841

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-49841

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-49841



NBP1-49841

Nucleoporin 107 Antibody

Nucleoporin 107 Antibody		
Product Information		
Unit Size	0.1 mg	
Concentration	0.5 mg/ml	
Storage	Store at -20C. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.02% Sodium Azide	
Isotype	IgG	
Purity	Immunogen affinity purified	
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Product Description		
Description	Novus Biologicals Goat Nucleoporin 107 Antibody (NBP1-49841) is a polyclonal antibody validated for use in WB and ELISA. Anti-Nucleoporin 107 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Host	Goat	
Gene ID	57122	
Gene Symbol	NUP107	
Species	Human, Mouse	
Immunogen	Peptide with sequence C-PLPAEDDNAIREH corresponding to internal region according to NP_065134.1.	
Product Application Details		
Applications	Western Blot, Peptide ELISA	
Recommended Dilutions	Western Blot 1 - 3 ug/ml, Peptide ELISA Detection limit 1:8000	
Application Notes	WB: Approx. 100 kDa band observed in human peripheral blood mononucleocytes lysates (calculated MW of 106 kDa band according to human NP_065134.1) and 120 kDa band in nuclear lysates of NIH3T3 (calculated MW of 107 kDa band according to mouse NP_598771.1).	



	·
Images	
Western Blot: Nucleoporin 107 Antibody [NBP1-49841] - Staining of nuclear lysate of NIH3T3 (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.	250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa
Western Blot: Nucleoporin 107 Antibody [NBP1-49841] - Western blot analysis of Nucleoporin 107 in Peripheral Blood Lymphocytes lysate (35ug protein in RIPA buffer) using NBP1-49841 at 1ug/ml. Primary incubation was 1 hour. Detected by chemiluminescence.	250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

Publications

Whittle JR, Schwartz TU. Architectural nucleoporins Nup157/170 and Nup133 are structurally related and descend from a second ancestral element. J Biol Chem 2009-10-01 [PMID: 19674973]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-49841

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

NBP1-76926PEP Nucleoporin 107 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-49841

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



