

Product Datasheet

Fc gamma RIIIA/CD16a Antibody (3G8) - BSA Free NBP1-50056

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-50056

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-50056



NBP1-50056

Fc gamma RIIIA/CD16a Antibody (3G8) - BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	3G8
Preservative	0.9% Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A purified
Buffer	PBS (pH 7.4)
Target Molecular Weight	65 kDa

Product Description	
Host	Mouse
Gene ID	2214
Gene Symbol	FCGR3A
Species	Human, Primate
Specificity/Sensitivity	The mouse monoclonal antibody 3G8 recognizes CD16, a low affinity receptor for aggregated IgG (FcgammaRIII antigen). CD16 exists in two different isoforms: CD16a (FcgammaRIIIA; 50-65 kDa; expressed on NK-cells, monocytes and macrophages) and CD16b (FcgammaRIIIB; 48 kDa; mainly expressed on neutrophils). HLDA V; WS Code NK80
Immunogen	Human neutrophils.


Product Application Details	
Applications	Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation, CyTOF-ready
Recommended Dilutions	Flow Cytometry 6 ug/ml, Immunohistochemistry 1:10-1:500, Immunoprecipitation 1:50, Immunohistochemistry-Frozen 1:200, CyTOF-ready
Application Notes	IHC-Frozen sections: acetone fixation recommended Functional: In vitro Stimulation of NK cell proliferation, blocking of IgG binding and phagocytosis, inhibition of cytotoxic activity, in vivo NK cell depletion. This antibody is CyTOF ready.

Images


Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Staining of CD16 in human peripheral blood with anti-CD16 (3G8) APC.




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Surface staining of CD16 in human peripheral blood with anti-CD16 (3G8) APC-CyTM7.




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Surface staining of CD16 in human peripheral blood with anti-CD16 (3G8) PE.




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Surface staining of CD16 in human peripheral blood with anti-CD16 (3G8) PE-CyTM7.




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Surface staining of CD16 in human peripheral blood with anti-CD16 (3G8) PerCP.




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Surface staining of CD16 in human peripheral blood with anti-CD16 (3G8) PerC-CyTM5.5




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Surface staining of CD16 in human peripheral blood with anti-CD16 (3G8) Pacific BlueTM.




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Surface staining of CD16 in human peripheral blood with anti-CD16 (3G8) purified / GAM-APC.




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Staining of CD16 in human peripheral blood with anti-CD16 (3G8) Alexa Fluor® 647.




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Staining of CD16 in human peripheral blood with anti-CD16 (3G8) Pacific Orange™.




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Staining of CD16 in human peripheral blood with anti-CD16 (3G8) biotin.



Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Staining of human peripheral blood with anti-CD16 (3G8) FITC.



Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (3G8) [NBP1-50056] - Staining of CD16 in human peripheral blood with anti-CD16 (3G8) Alexa Fluor® 488.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-50056

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
NBP2-33753PEP	Fc gamma RIIIA/CD16a Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-50056

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

