

Product Datasheet

STK39 Antibody NBP1-51955

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-51955

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-51955



NBP1-51955**STK39 Antibody**

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA


Product Description	
Description	Novus Biologicals Goat STK39 Antibody (NBP1-51955) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-STK39 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	27347
Gene Symbol	STK39
Species	Human
Immunogen	Peptide with sequence C-SQEKSRRVKEENPE corresponding to internal region according to NP_037365.2.

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Peptide ELISA, Control
Recommended Dilutions	Western Blot 0.3 - 1 ug/ml, Immunohistochemistry 6.0 ug/ml, Peptide ELISA Detection limit 1:4000, Control
Application Notes	WB: Approx. 65 kDa band observed in human brain (cerebellum) lysates and in Jurkat lysates (calculated MW of 59.5 kDa band according to NP_037365.2).




Images


Western Blot: STK39 Antibody [NBP1-51955] - Staining (0.3ug/ml) of Human Cerebellum lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



Immunohistochemistry: STK39 Antibody [NBP1-51955] - (6ug/ml) staining of paraffin embedded Human Testis. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



Control: STK39 Antibody [NBP1-51955] - Negative Control showing staining of paraffin embedded Human Testis, with no primary antibody.



Publications

Ramoz N, Cai G, Reichert JG et al. An analysis of candidate autism loci on chromosome 2q24-q33: evidence for association to the STK39 gene. Am J Med Genet B Neuropsychiatr Genet 2008-10-05 [PMID: 18348195]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-51955

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
H00027347-Q01-10ug	Recombinant Human STK39 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-51955

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



