Product Datasheet

c-Myb Antibody NBP1-52040

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-52040

Updated 5/6/2020 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-52040



NBP1-52040

c-Myb Antibody

| Product Information | | |
|---------------------|--|--|
| Unit Size | 0.1 mg | |
| Concentration | 0.5 mg/ml | |
| Storage | Store at -20C. Avoid freeze-thaw cycles. | |
| Clonality | Polyclonal | |
| Preservative | 0.02% Sodium Azide | |
| Isotype | IgG | |
| Purity | Immunogen affinity purified | |
| Buffer | Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA | |
| Product Description | | |
| Host | Goat | |
| Gene ID | 4602 | |

| Product Description | |
|-------------------------|---|
| Host | Goat |
| Gene ID | 4602 |
| Gene Symbol | MYB |
| Species | Human, Mouse, Rat, Porcine, Bovine, Canine |
| Reactivity Notes | Human, Mouse, Rat, Dog, Cow, Pig |
| Specificity/Sensitivity | This antibody is expected to recognize all reported isofoms. (NP_001123645.1; NP_005366.2; NP_001123644.1; NP_001155128.1; NP_001155130.1; NP_001155131.1; NP_001155132.1). |
| Immunogen | internal region |
| | |

| Product Application Details | |
|------------------------------------|---|
| Applications | Western Blot, Peptide ELISA |
| Recommended Dilutions | Western Blot, Peptide ELISA detection limit 1:8000 |
| Application Notes | This antibody works in ELISA and Western Blot. Approx 85kDa band observed in lysates of cell line Jurkat (calculated MW of 85.5kDa according to NP_001123645.1). Recommended concentration: 0.5-1.5ug/ml. |

Western Blot: c-Myb Antibody [NBP1-52040] - (0.5ug/ml) staining of Jurkat lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence. 250kDa 150kDa 100kDa 75kDa 37kDa 25kDa 20kDa

Publications

Fahl SP, Crittenden RB, Allman D, Bender TP. c-Myb is required for pro-B cell differentiation. J Immunol 2009-11-01 [PMID: 19843942]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-52040

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

H00004602-P01-2ug Recombinant Human c-Myb GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-52040

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



