Product Datasheet

EPX Antibody - BSA Free NBP1-58010

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-58010

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-58010



NBP1-58010

EPX Antibody - BSA Free

Recommended Dilutions

EPX Antibody - BSA Free	
Product Information	
Unit Size	100 ul
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS, 2% Sucrose
Product Description	
Description	The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution.
Host	Rabbit
Gene ID	8288
Gene Symbol	EPX
Species	Human
Immunogen	Synthetic peptides corresponding to EPX(eosinophil peroxidase) The peptide sequence was selected from the middle region of EPX. Peptide sequence LAFRFGHTMLQPFMFRLDSQYRASAPNSHVPLSSAFFASWRIVYEGGIDP. The peptide sequence for this immunogen was taken from within the described region.
Product Application Details	
Applications	Western Blot

Western Blot 1.0 ug/ml



Images

Western Blot: EPX Antibody [NBP1-58010] - Sample Tissue: MCF7, Anti-EPX Western Blot & Lane A: Primary Antibody, Lane B: Primary Antibody + Blocking Peptide, Peptide Block Validation 70 kDa Primary Antibody Concentration: 1ug/ml, Peptide Concentration: 5ug/ml, 60 kDa_ Lysate Quantity: 25ug/lane/lane, Gel Concentration: 0.12 Lot Number: QC12490 48 kDa_ Lysate: MCF7 Cell 36 kDa_ Lane A: Primary Antibody Lane B. Primary Antibody + Blocking Peptide Primary Antibody Concentration: 1.0µg/ml Peptide Concentration: 5.0µg/ml 21 kDa_ Lysate Quantity: 25µg/lane Gel Concentration: 12% Western Blot: EPX Antibody [NBP1-58010] - MCF-7 whole cell lysates, concentration 0.2-1 ug/ml. 90 kDa_ 65 kDa 40 kDa_ 31 kDa 22 kDa_





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-58010

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00008288-P01-2ug Recombinant Human EPX GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-58010

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

