Product Datasheet

DSCAM Antibody - BSA Free NBP1-59208

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-59208

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-59208



NBP1-59208

DSCAM Antibody - BSA Free


DSCAM Antibody - BSA Free	
Product Information	
Unit Size	100 ul
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS, 2% Sucrose
Target Molecular Weight	222 kDa
Product Description	
Description	The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution.
Host	Rabbit
Gene ID	1826
Gene Symbol	DSCAM
Species	Human, Mouse
Immunogen	Synthetic peptides corresponding to DSCAM(Down syndrome cell adhesion molecule) The peptide sequence was selected from the middle region of DSCAM (NP_001380). Peptide sequence MRVCNSAGCAEKQANFATLNYDGSTIPPLIKSVVQNEEGLTTNEGLKMLV. The peptide sequence for this immunogen was taken from within the described region.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1.0 ug/ml, Immunohistochemistry, Immunoprecipitation 1:10-1:500, Immunohistochemistry-Paraffin
Application Notes	Use in Immunohistochemistry-paraffin reported in scientific literature (PMID:




30206355).



Western Blot: DSCAM Antibody [NBP1-59208] - Amount and Sample Type: 10 cm sq plate myc-DSCAM transfected mouse neuro2a cells Primary Antibody: DSCAM Primary Antibody Dilution: 1:1000 Secondary Antibody: Anti-Rabbit HRP Secondary Antibody Dilution: 1:5000 Gene Name: DSCAM



Western Blot: DSCAM Antibody [NBP1-59208] - Titration: 0.2-1 ug/ml, Positive Control: HepG2 cell lysate.



Publications

Allach El Khattabi L, Backer S, Pinard A et al. A genome-wide search for new imprinted genes in the human placenta identifies DSCAM as the first imprinted gene on chromosome 21. Eur J Hum Genet 2018-09-01 [PMID: 30206355] (IHC-P)



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-59208

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP3-17835PEP DSCAM Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-59208

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

