# **Product Datasheet**

## ND6 Antibody - BSA Free NBP1-70650

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 2** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-70650

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-70650



#### NBP1-70650


ND6 Antibody - BSA Free

ND6 Antibody - BSA Free	
Product Information	
Unit Size	100 ul
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS, 2% Sucrose
Product Description	
Description	The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution.
Host	Rabbit
Gene ID	4541
Gene Symbol	ND6
Species	Human
Specificity/Sensitivity	This product is specific to Subunit or Isoform: 6 (complex I).
Immunogen	Synthetic peptides corresponding to ND6(NADH dehydrogenase, subunit 6 (complex I)) The peptide sequence was selected from the middle region of ND6. Peptide sequence DGVVVVNFNSVGSWMIYEGEGSGLIREDPIGAGALYDYGRWLVVVTGWT. The peptide sequence for this immunogen was taken from within the described region.

<b>Product Application Details</b>	
Applications	Western Blot
Recommended Dilutions	Western Blot 1.0 ug/ml

## **Images**

Western Blot: ND6 Antibody [NBP1-70650] - Human Lung lysate, concentration 0.2-1 ug/ml.





#### **Publications**

Weiwei Yan, Chengmei Xie, Sijun Sun, Quan Zheng, Jingyi Wang, Zihao Wang, Cheuk-Him Man, Haiyan Wang, Yunfan Yang, Tianshi Wang, Leilei Shi, Shengjie Zhang, Chen Huang, Shuangnian Xu, Yi-Ping Wang SUCLG1 restricts POLRMT succinylation to enhance mitochondrial biogenesis and leukemia progression The EMBO Journal 2024-04-22 [PMID: 38649537]

Wang YP, Sharda A, Xu SN et al. Malic enzyme 2 connects the Krebs cycle intermediate fumarate to mitochondrial biogenesis Cell metabolism 2021-03-23 [PMID: 33770508] (WB)





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP1-70650**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NB100-56503 Cytochrome c Antibody (7H8.2C12) - BSA Free

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-70650

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

