# **Product Datasheet**

# G0S2 Antibody NBP1-71690

Unit Size: 0.05 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-71690

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-71690




## NBP1-71690

G0S2 Antibody

GUSZ Antibody	
Product Information	
Unit Size	0.05 ml
Concentration	0.56 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS, 0.1% BSA, and 50% Glycerol
Product Description	
Host	Rabbit
Gene ID	50486
Gene Symbol	G0S2
Species	Human
Immunogen	A genomic peptide made to the human G0S2 protein (residues 1-103). [Swiss-Prot P27469]
Notes	Manufactured by Genomic Antibody Technology™. GAT <u>FAQs</u>
Product Application Details	
Applications	Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 1:50-1:100
Application Notes	This G0S2 antibody is useful in ICC/IF.

## **Images**

Immunocytochemistry/Immunofluorescence: G0S2 Antibody [NBP1-71690] - GOS2 antibody was tested at 1:50 in A431 cells with FITC (green). Nuclei were counterstained with Dapi (blue).



#### **Procedures**

## Serum protocol for G0S2 Antibody (NBP1-71690)

G0S2 Antibody:

Immunocytochemistry Protocol

Culture cells to appropriate density in 35 mm culture dishes or 6-well plates.

- 1. Remove culture medium and add 10% formalin to the dish. Fix at room temperature for 30 minutes.
- 2. Remove the formalin and add ice cold methanol. Incubate for 5-10 minutes.
- 3. Remove methanol and add washing solution (i.e. PBS). Be sure to not let the specimen dry out. Wash three times for 10 minutes.
- 4. To block nonspecific antibody binding incubate in 10% normal goat serum from 1 hour to overnight at room temperature.
- 5. Add primary antibody at appropriate dilution and incubate at room temperature from 2 hours to overnight at room temperature.
- 6. Remove primary antibody and replace with washing solution. Wash three times for 10 minutes.
- 7. Add secondary antibody at appropriate dilution. Incubate for 1 hour at room temperature.
- 8. Remove antibody and replace with wash solution, then wash for 10 minutes. Add Hoechst 33258 to wash solution at 1:25,0000 and incubate for 10 minutes. Wash a third time for 10 minutes.
- 9. Cells can be viewed directly after washing. The plates can also be stored in PBS containing Azide covered in Parafilm (TM). Cells can also be cover-slipped using Fluoromount, with appropriate sealing.
- \*The above information is only intended as a guide. The researcher should determine what protocol best meets their needs. Please follow safe laboratory procedures.





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

## **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP1-71690**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00050486-P01-10ug Recombinant Human G0S2 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-71690

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

