Product Datasheet

Goat anti-Monkey IgM Heavy Chain Secondary Antibody [Alkaline Phosphatase] NBP1-72664

Unit Size: 1 mg

Store at 4C. Do not freeze.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-72664

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-72664

NBP1-72664


Goat anti-Monkey IgM Heavy Chain Secondary Antibody [Alkaline Phosphatase]

| Product Information | | | | |
|-----------------------------|---|--|--|--|
| Unit Size | 1 mg | | | |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. | | | |
| Storage | Store at 4C. Do not freeze. | | | |
| Clonality | Polyclonal | | | |
| Preservative | 0.01% Sodium Azide | | | |
| Isotype | IgG | | | |
| Conjugate | Alkaline Phosphatase | | | |
| Purity | Multi-step | | | |
| Buffer | 0.05 M Tris Chloride, 0.15M Sodium Chloride, 0.001M Magnesium Chloride, 0.0001M Zinc Chloride, 50% (v/v) Glycerol; pH 8.0, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free | | | |
| Product Description | | | | |
| Description | Store vial at 4C before opening. DO NOT FREEZE. This product is stable at 4C as an undiluted liquid. Dilute only prior to immediate use. Freezing alkaline phosphatase conjugates will result in a substantial loss of enzymatic activity. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Monkey IgM coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Alkaline Phosphatase (calf intestine), anti-Goat Serum, Monkey IgM and Monkey Serum | | | |
| Host | Goat | | | |
| Gene ID | 3507 | | | |
| Gene Symbol | IGHM | | | |
| Species | Monkey | | | |
| Specificity/Sensitivity | No reaction was observed against other Monkey heavy or light chain proteins. | | | |
| Immunogen | Monkey IgM whole molecule | | | |
| Product Application Details | | | | |
| Applications | Western Blot, ELISA, Immunohistochemistry | | | |
| Recommended Dilutions | Western Blot 1:500 - 1:3000, ELISA 1:2000 - 1:10000, Immunohistochemistry 1:200 - 1:1000 | | | |
| Application Notes | This product has been tested by ELISA and western blot and is suitable for immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-antibody based enzymatic assays requiring lot-to-lot consistency. Specific conditions for reactivity should be optimized by the end user. | | | |



Images

Western Blot: Goat anti-Monkey IgM Heavy Chain Secondary Antibody [Alkaline Phosphatase] [NBP1-72664] - Lane 1: Monkey IgM. Lane 2: None. Load: 100 ng per lane. Primary antibody: None. Secondary antibody: Alkaline Phosphatase goat secondary antibody at 1:1,000 for 60 min at RT. Blocking: incubated with blocking buffer for 30 min at RT. Predicted/Observed size: 72 kDa, 72 kDa for Monkey IgM. Other band (s): Monkey IgM splice variants and isoforms.



Western Blot: Goat anti-Monkey IgM Heavy Chain Secondary Antibody [Alkaline Phosphatase] [NBP1-72664] - This table displays additional reactivity among various species of serum and immunoglobulin. A (+) indicates antibody reactivity to the corresponding target.

| Product | Gt-a-Monkey IgG | Gt-a-Monkey IgA | Gt-a-Monkey IgM |
|----------------------|-----------------|-----------------|-----------------|
| Rhesus Serum | + | + | + |
| Baboon Serum | + | + | + |
| Cynomologus Serum | + | + | + |
| Rhesus IgG | + | | |
| Human IgA | | + | |
| Human IgM | | | + |

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-72664

| NB100-524 | NOD2 Antibody (2D9) - BSA Free |
|-------------|---------------------------------------|
| NBP1-96772 | Human IgM Heavy Chain Isotype Control |
| 7268-CT-100 | CTLA-4 [Unconjugated] |
| NB200-541 | Complement C4b/d Antibody (16D2) |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-72664

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

