## **Product Datasheet**

### Donkey anti-Rabbit IgG Fc Secondary Antibody [Biotin] NBP1-73441

Unit Size: 2 mg

Store lyophilized antibody at 4C in the dark. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles.



Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-73441

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-73441



#### NBP1-73441

Donkey anti-Rabbit IgG Fc Secondary Antibody [Biotin]

at -20C. Avoid freeze-thaw cycles.   Clonality Polyclonal   Preservative 0.01% Sodium Azide   Reconstitution Instructions Reconstitute with 1.0 ml deionized water (or equivalent).   Isotype IgG   Conjugate Biotin   Purity Multi-step   Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.1 10 mgmL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free   Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.   This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, ant Donkey Serum, Rabbit IgG F(c) and Rabbit Serum   Host Donkey   Species Rabbit   Species Rabbit IgG F(c) fragment   Product Application Details Western Blot, ELISA, Immunohistochemistry   Recommended Dilutions Western Blot 1:2000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000   -1:5000		
Concentration   LYOPH mg/ml     Storage   Store lyophilized antibody at 4C in the dark. Aliquot reconstituted liquid and stor at -20C. Avoid freeze-thaw cycles.     Clonality   Polyclonal     Preservative   0.01% Sodium Azide     Reconstitution Instructions   Reconstitute with 1.0 ml deionized water (or equivalent).     Isotype   IgG     Conjugate   Biotin     Purity   Multi-step     Buffer   Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.1 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free     Product Description   Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at +20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.     This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin are against anti-biotin, anti Donkey Serum, Rabbit IgG, Rabbit IgG F(a).     Species   Rabbit     Species   Rabbit     Species   Rabbit IgG F(c) fragment     Product Application Details   Western	Product Information	
Storage   Store lyophilized antibody at 4C in the dark. Aliquot reconstituted liquid and stor at -20C. Avoid freeze-thaw cycles.     Clonality   Polyclonal     Preservative   0.01% Sodium Azide     Reconstitution Instructions   Reconstitute with 1.0 ml deionized water (or equivalent).     Isotype   IgG     Conjugate   Biotin     Purity   Multi-step     Buffer   Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 10 mg/L Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free     Product Description   Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.     This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG F(c) and Rabbit Serum     Host   Donkey     Species   Rabbit     Species   Rabbit     Species   Rabbit IgG F(c) fragment     Product Application Details   Western Blot, ELIS	Unit Size	2 mg
at -20C. Avoid freeze-thaw cycles.   Clonality Polyclonal   Preservative 0.01% Sodium Azide   Reconstitution Instructions Reconstitute with 1.0 ml deionized water (or equivalent).   Isotype IgG   Conjugate Biotin   Purity Multi-step   Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.1 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free   Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.   This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG F(c) and Rabbit Serum   Host Donkey   Species Rabbit   Species Rabbit IgG F(c) fragment   Product Application Details Western Blot, ELISA, Immunohistochemistry   Recommended Dilutions Western Blot 1:2000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000   Application Not	Concentration	LYOPH mg/ml
Preservative   0.01% Sodium Azide     Reconstitution Instructions   Reconstitute with 1.0 ml deionized water (or equivalent).     Isotype   IgG     Conjugate   Biotin     Purity   Multi-step     Buffer   Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free     Product Description   Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.     This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG couplet to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit Serum     Host   Donkey     Specificity/Sensitivity   No reaction was observed against Rabbit IgG F(ab).     Immunogen   Rabbit IgG F(c) fragment     Product Application Details   Western Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000     Application Notes   This product is also suitable for multiplex analysis, including multicolor	Storage	Store lyophilized antibody at 4C in the dark. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles.
Reconstitution Instructions   Reconstitute with 1.0 ml deionized water (or equivalent).     Isotype   IgG     Conjugate   Biotin     Purity   Multi-step     Buffer   Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free     Product Description   Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.     This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit Serum     Host   Donkey     Species   Rabbit     Specificity/Sensitivity   No reaction was observed against Rabbit IgG F(ab).     Immunogen   Rabbit IgG F(c) fragment     Product Application Details   Western Blot, ELISA, Immunohistochemistry     Application Notes   This product has been tested by ELISA and is designed for immunofluorescenc microscopy, fluorescence based plate asasays (FLISA) and fluorescent western blotting. This p	Clonality	Polyclonal
Isotype IgG   Conjugate Biotin   Purity Multi-step   Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.3 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free   Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.   This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit Serum   Host Donkey   Species Rabbit   Specificity/Sensitivity No reaction was observed against Rabbit IgG F(ab).   Immunogen Rabbit IgG F(c) fragment   Product Application Details Western Blot, ELISA, Immunohistochemistry   Recommended Dilutions Western Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000   Application Notes This product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent westerm blotting. This product has been test	Preservative	0.01% Sodium Azide
Conjugate Biotin   Purity Multi-step   Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.3 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free   Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.   This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit Serum   Host Donkey   Specificity/Sensitivity No reaction was observed against Rabbit IgG F(ab).   Immunogen Rabbit IgG F(c) fragment   Product Application Details Western Blot, ELISA, Immunohistochemistry   Applications Western Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000   Application Notes This product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	<b>Reconstitution Instructions</b>	Reconstitute with 1.0 ml deionized water (or equivalent).
Purity   Multi-step     Buffer   Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.3 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free     Product Description   Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.     This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit Serum     Host   Donkey     Species   Rabbit     Specificity/Sensitivity   No reaction was observed against Rabbit IgG F(ab).     Immunogen   Rabbit IgG F(c) fragment     Product Application Details   Western Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000     Application Notes   This product has been tested by ELISA and is designed for immunoffluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Isotype	IgG
Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.3 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free   Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.   This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit Serum   Host Donkey   Species Rabbit   Product Application Details Applications   Applications Western Blot, ELISA, Immunohistochemistry   Recommended Dilutions Western Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000   Application Notes This product has been tested by ELISA and is designed for immunofluorescence molecular staso suitable for multiplex analysis, including multicolor	Conjugate	Biotin
10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free   Product Description   Description   Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.   This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit Serum   Host Donkey   Species Rabbit   Species Rabbit   Product Application Details Mestern Blot, ELISA, Immunohistochemistry   Applications Western Blot 1:2000 - 1:2000, ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Purity	Multi-step
DescriptionStore vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit SerumHostDonkeySpecificity/SensitivityNo reaction was observed against Rabbit IgG F(ab).ImmunogenRabbit IgG F(c) fragmentProduct Application DetailsWestern Blot, ELISA, ImmunohistochemistryApplication NotesThis product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Buffer	Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti Donkey Serum, Rabbit IgG, Rabbit IgG F(c) and Rabbit SerumHostDonkeySpeciesRabbitSpecificity/SensitivityNo reaction was observed against Rabbit IgG F(ab).ImmunogenRabbit IgG F(c) fragmentProduct Application DetailsWestern Blot, ELISA, ImmunohistochemistryApplication NotesWestern Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000Application NotesThis product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Product Description	
Species Rabbit   Specificity/Sensitivity No reaction was observed against Rabbit IgG F(ab).   Immunogen Rabbit IgG F(c) fragment   Product Application Details Applications   Applications Western Blot, ELISA, Immunohistochemistry   Recommended Dilutions Western Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000   Application Notes This product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Description	freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-
Specificity/SensitivityNo reaction was observed against Rabbit IgG F(ab).ImmunogenRabbit IgG F(c) fragmentProduct Application DetailsApplicationsWestern Blot, ELISA, ImmunohistochemistryRecommended DilutionsWestern Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000Application NotesThis product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Host	Donkey
Immunogen Rabbit IgG F(c) fragment   Product Application Details Western Blot, ELISA, Immunohistochemistry   Applications Western Blot, ELISA, Immunohistochemistry   Recommended Dilutions Western Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000   Application Notes This product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Species	Rabbit
Product Application Details   Applications Western Blot, ELISA, Immunohistochemistry   Recommended Dilutions Western Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000   Application Notes This product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Specificity/Sensitivity	No reaction was observed against Rabbit IgG F(ab).
ApplicationsWestern Blot, ELISA, ImmunohistochemistryRecommended DilutionsWestern Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000Application NotesThis product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Immunogen	Rabbit IgG F(c) fragment
Recommended Dilutions Western Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000   Application Notes This product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Product Application Details	
- 1:5000   Application Notes   This product has been tested by ELISA and is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Applications	Western Blot, ELISA, Immunohistochemistry
microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor	Recommended Dilutions	Western Blot 1:2000 - 1:20000, ELISA 1:300000, Immunohistochemistry 1:1000 - 1:5000
	Application Notes	

www.novusbio.com



#### Images

Nestern Blot: Donkey anti-Rabbit IgG Fc Secondary Antibody [Biotin] NBP1-73441] - Lane 1: Rabbit IgG whole molecule. Lane 2: Rabbit IgG	kDa M 150 -	1 2	3	4	5
F(ab) Fragment. Lane 3: Rabbit IgG F(c) Fragment. Lane 4: Rabbit IgM Whole Molecule. Lane 5: Normal Rabbit Serum. All samples were					
reduced. Load: 50 ng per lane. Block: incubated with blocking buffer for 30 min at RT. Primary Antibody: Anti-Rabbit IgG F(c) (DONKEY) Antibody 1:5,000 for 60 min at RT. Secondary antibody: Anti-Donkey IgG (GOAT) Peroxidase Conjugated Antibody 1:40,000 in incubated with blocking buffer for 30 min at RT. Predicted/Observed Size: 25 and 50 kDa for Rabbit IgG and Serum, 25 kDa for F(c) and F(ab), 70 and 23 kDa for IgM. Rabbit F(c) migrates slightly higher.	60 -				
	50 -				-
	40 -				
	30 -		-		
	20 -				
Vestern Blot of Donkey anti-Rabbit IgG Fc Secondary Antibody [Biotin]	kDa M 150 -	1 2	3	4	5
	100 -				
	80 -				
	60 -				
	50 -	-			-
	40 -				
	30 -		-		
	20 -				

www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP1-73441

NBP1-96784

Mouse IgG Fc Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-73441

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

