Product Datasheet

Donkey anti-Sheep IgG (H+L) Secondary Antibody [Biotin] (Pre-adsorbed) NBP1-73687

Unit Size: 1 mg

Store lyophilized antibody at 4C in the dark. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles.



Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-73687

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-73687



NBP1-73687

Donkey anti-Sheep IgG (H+L) Secondary Antibody [Biotin] (Pre-adsorbed)

Unit Size 1 mg Concentration LYOPH mg/ml Storage Store lyophilized antibody at 4C in the dark. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.01% Sodium Azide Reconstitution Instructions Reconstitute with 1.0 ml deionized water (or equivalent). Isotype IgG Conjugate Biotin Purity Multi-step Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product in ot completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product use prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti- Donkey Species Sheep Species Sheep Species Sheep Specificity/Sensitivity <td< th=""><th></th><th></th></td<>			
Concentration LVOPH mg/ml Storage Store lyophilized antibody at 4C in the dark. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.01% Sodium Azide Reconstitution Instructions Reconstitute with 1.0 ml deionized water (or equivalent). Isotype IgG Conjugate Biotin Purity Multi-step Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoalitority chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Donkey Serum, Sheep IgG and Sheep Serum Host Donkey Species Sheep Species Sheep IgG whole molecule Product Application Details Western Blot	Product Information		
Storage Store lyophilized antibody at 4C in the dark. Aliquot reconstituted liquid and store at -20C. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.01% Sodium Azide Reconstitution Instructions Reconstitute with 1.0 ml deionized water (or equivalent). Isotype IgG Conjugate Biotin Purity Multi-step Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti- Donkey Serum, Sheep IgG and Sheep Serum Host Donkey Species Sheep Species Sheep Species Sheep IgG whole molecule Product Application Details Western Blot, ELISA, Imm	Unit Size	1 mg	
at -20C. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.01% Sodium Azide Reconstitution Instructions Reconstitute with 1.0 ml deionized water (or equivalent). Isotype IgG Conjugate Biotin Purity Multi-step Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Donkey Serum, Sheep IgG and Sheep Serum Host Donkey Species Sheep Species Sheep IgG whole molecule Product Application Details Western Blot, ELISA, Immunohistochemistry Applications Western Blot, ELISA, Immunohistochemistry Recommended Dilutions Western Blot, 12000 - 1:100	Concentration	LYOPH mg/ml	
Preservative 0.01% Sodium Azide Reconstitution Instructions Reconstitute with 1.0 ml deionized water (or equivalent). Isotype IgG Conjugate Biotin Purity Multi-step Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin are against anti-biotin, anti-Donkey Serum, Sheep IgG and Sheep Serum Host Donkey Species Sheep Specificity/Sensitivity This antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins. Immunogen Sheep IgG whole molecule Product Application Details Western Blot, ELISA, Immunohistochemistry Applications Western Blot 1:2000 - 1:10000, ELISA 1:	Storage		
Reconstitution Instructions Reconstitute with 1.0 ml deionized water (or equivalent). Isotype IgG Conjugate Biotin Purity Multi-step Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pl 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti- Donkey Serum, Sheep IgG and Sheep Serum Host Donkey Species Sheep Specificity/Sensitivity This antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins. Immunogen Sheep IgG whole molecule Product Application Details Western Blot, ELISA, Immunohistochemistry Applications Western Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1:1000 - 1:50,000	Clonality	Polyclonal	
isotype igG Conjugate Biotin Purity Multi-step Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Description Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Donkey Serum, Sheep IgG and Sheep Serum Host Donkey Species Sheep Specificity/Sensitivity This antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins. Immunogen Sheep IgG whole molecule Product Application Details Western Blot, ELISA, Immunohistochemistry Recommended Dilutions Western Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2'-azino-bis-Ga-ethyloenthiazoline-6-	Preservative	0.01% Sodium Azide	
Conjugate Biotin Purity Multi-step Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Donkey Serum, Sheep IgG and Sheep Serum Host Donkey Species Sheep Specificity/Sensitivity This antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins. Immunogen Sheep IgG whole molecule Product Application Details Western Blot, ELISA, Immunohistochemistry Recommended Dilutions Western Blot 1:2000 - 1:10000 - 1:100000, Immunohistochemistry Recommended Dilutions This product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2:2-azino-bis-(3-ethylbenthiazoline-6-sulfo	Reconstitution Instructions	Reconstitute with 1.0 ml deionized water (or equivalent).	
Purity Multi-step Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti- Donkey Serum, Sheep IgG and Sheep Serum Host Donkey Species Sheep Specificity/Sensitivity This antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins. Immunogen Sheep IgG whole molecule Product Application Details Western Blot, ELISA, Immunohistochemistry Recommended Dilutions Western Blot, ELISA, Immunohistochemistry Application Notes This product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2*-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room- timerohistre. A working dilution of 1:10,0	Isotype	IgG	
Buffer Lyophilized from 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product in ot completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti- Donkey Serum, Sheep IgG and Sheep Serum Host Donkey Species Sheep Specificity/Sensitivity This antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins. Immunogen Sheep IgG whole molecule Product Application Details Western Blot, ELISA, Immunohistochemistry Recommended Dilutions Western Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1:1000 - 1:5000 Application Notes This product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2*-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is	Conjugate	Biotin	
10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free Product Description Description Store vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product in for completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Donkey Serum, Sheep IgG and Sheep Serum Host Donkey Species Sheep Specificity/Sensitivity This antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins. Immunogen Sheep IgG whole molecule Product Application Details Western Blot, ELISA, Immunohistochemistry Recommended Dilutions Western Blot 1:2000 - 1:100000, ELISA 1:2000 - 1:100000, Immunohistochemistry Application Notes This product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA, using Peroxidase Conjugated Streptavidin and ABTS (2,2-azino-bis-I3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature.	Purity	Multi-step	
DescriptionStore vial at 4C prior to restoration. For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti- Donkey Serum, Sheep IgG and Sheep SerumHostDonkeySpeciesSheepSpecificity/SensitivityThis antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins.ImmunogenSheep IgG whole moleculeProduct Application DetailsWestern Blot, ELISA, ImmunohistochemistryApplicationsWestern Blot, ELISA, ImmunohistochemistryRecommended DilutionsWestern Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1:1000 - 1:50000Application NotesThis product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	Buffer		
freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use.This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgC coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti- Donkey Serum, Sheep IgC and Sheep SerumHostDonkeySpeciesSheepSpecificity/SensitivityThis antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins.ImmunogenSheep IgG whole moleculeProduct Application DetailsWestern Blot, ELISA, ImmunohistochemistryApplicationsWestern Blot 1:2000 - 1:10000, ELISA 1:2000 - 1:100000, Immunohistochemistry 1:1000 - 1:5000Application NotesThis product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2*azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	Product Description		
SpeciesSheepSpecificity/SensitivityThis antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins. No reaction was observed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit and Rat Serum Proteins.ImmunogenSheep IgG whole moleculeProduct Application Details ApplicationsWestern Blot, ELISA, ImmunohistochemistryRecommended DilutionsWestern Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1:1000 - 1:5000Application NotesThis product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2'-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	Description	freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4C as an undiluted liquid. Dilute only prior to immediate use. This product was prepared from monospecific antiserum by immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-	
Specificity/SensitivityThis antibody was pre-adsorbed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Rat Serum Proteins. No reaction was observed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit and Rat Serum Proteins.ImmunogenSheep IgG whole moleculeProduct Application Details ApplicationsWestern Blot, ELISA, ImmunohistochemistryRecommended DilutionsWestern Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1:1000 - 1:5000Application NotesThis product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2'-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	Host	Donkey	
Human, Mouse, Rabbit, and Rat Serum Proteins.No reaction was observed against Chicken, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit and Rat Serum Proteins.ImmunogenSheep IgG whole moleculeProduct Application DetailsApplicationsWestern Blot, ELISA, ImmunohistochemistryRecommended DilutionsWestern Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1:1000 - 1:5000Application NotesThis product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2'-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	Species	Sheep	
Product Application DetailsApplicationsWestern Blot, ELISA, ImmunohistochemistryRecommended DilutionsWestern Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1:1000 - 1:5000Application NotesThis product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2'-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	Specificity/Sensitivity	Human, Mouse, Rabbit, and Rat Serum Proteins. No reaction was observed against Chicken, Guinea Pig, Hamster, Horse,	
ApplicationsWestern Blot, ELISA, ImmunohistochemistryRecommended DilutionsWestern Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1:1000 - 1:5000Application NotesThis product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2'-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	Immunogen	Sheep IgG whole molecule	
Recommended DilutionsWestern Blot 1:2000 - 1:10000, ELISA 1:20000 - 1:100000, Immunohistochemistry 1:1000 - 1:5000Application NotesThis product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2'-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	Product Application Details		
Application NotesImmunohistochemistry 1:1000 - 1:5000Application NotesThis product has been assayed against 1.0 ug of Sheep IgG in a standard capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2'-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	Applications	Western Blot, ELISA, Immunohistochemistry	
capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2'-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	Recommended Dilutions		
	Application Notes	capture ELISA using Peroxidase Conjugated Streptavidin and ABTS (2,2'-azino- bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a substrate for 30 minutes at room temperature. A working dilution of 1:10,000 to 1:50,000 is suggested for this	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-73687

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

