## **Product Datasheet**

# Goat anti-Human IgG (H+L) Secondary Antibody (Preadsorbed) NBP1-74953

Unit Size: 2 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-74953

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-74953




#### NBP1-74953

Goat anti-Human IgG (H+L) Secondary Antibody (Pre-adsorbed)	
Product Information	
Unit Size	2 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Product Description	
Description	Purity > 95% based on SDS-PAGE. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.
Host	Goat
Species	Human
Reactivity Notes	Based on IEP, no reactivity is observed to non-immunoglobulin human serum immunoglobulins and serum proteins from bovine, goat, mouse, or rabbit
Specificity/Sensitivity	Based on IEP, this Goat anti-Human IgG (H+L) Secondary Antibody (Preadsorbed) heavy gamma chains on human IgG and light chains on all human immunoglobulins. This antibody has been pre-adsorbed against bovine, goat, mouse or rabbit serum proteins.
Immunogen	This Goat anti-Human IgG (H+L) Secondary Antibody (Pre-adsorbed) was developed against purified human IgG (H&L).
Product Application Details	
Applications	Western Blot, Chemiluminescence Immunoassay, ELISA, Flow Cytometry, Immunoassay, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunomicroscopy
Recommended Dilutions	Western Blot 1:100-1:2000, Flow Cytometry 1:10-1:1000, ELISA 1:100-1:2000, Immunohistochemistry 1:10 - 1:500, Immunocytochemistry/ Immunofluorescence 1:10 - 1:500, Immunoassay, Immunomicroscopy 1:10 - 1:500, Chemiluminescence Immunoassay

## **Images**

**Application Notes** 

Immunocytochemistry/Immunofluorescence: Goat anti-Human IgG (H+L) Secondary Antibody (Pre-adsorbed) [NBP1-74953] - Goat anti-Human IgG (H+L) Secondary Antibody (Pre-adsorbed) gives very strong signal with low background when staining live cells (human cancer cell line) with humanized primary antibody. Image from verified customer review. Image using the FITC format of this antibody.





This antibody is suitable for all immunoassay applications.



## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-74953

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

