Product Datasheet

Goat anti-Human IgG Fc Secondary Antibody [Alkaline Phosphatase] NBP1-74975

Unit Size: 1 mg

Store at 4C. After dilution, add an equal volume of glycerol to prevent loss of enzymatic activity and store at -20C. Avoid repeated freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-74975

Updated 10/30/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-74975



NBP1-74975

Goat anti-Human IgG Fc Secondary Antibody [Alkaline Phosphatase]	
Product Information	
Unit Size	1 mg
Concentration	1.5 mg/ml
Storage	Store at 4C. After dilution, add an equal volume of glycerol to prevent loss of enzymatic activity and store at -20C. Avoid repeated freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Conjugate	Alkaline Phosphatase
Purity	Affinity purified
Buffer	30 mM Triethanolamine, pH 7.2, 5 mM Magnesium Chloride, 0.1 mM Zinc Chloride, 1 % (w/v) BSA, Protease/IgG free
Product Description	
Description	Purity > 95% based on SDS-PAGE. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. Store undiluted liquid at 2-8C. For storage at -20C, dilute with an equal volume of glycerol to prevent loss of enzymatic activity. Prepare working dilutions prior to use and then discard.
Host	Goat
Species	Human
Reactivity Notes	Based on IEP, no reactivity is observed to non-immunoglobulin human serum immunoglobulins, light chains on all human immunoglobulins, and Human IgG F (ab)'2 fragment
Specificity/Sensitivity	Based on IEP, this antibody reacts with heavy gamma chains on human IgG
Immunogen	Purified Human IgG, Fc fragment
Product Application Details	
Applications	Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:200-1:5000, ELISA 1:200-1:5000, Immunohistochemistry 1:500-1:5000, Immunohistochemistry-Paraffin

Applications	Western Blot, ELIOA, Immunoriistochemistry, Immunoriistochemistry-i araniin
Recommended Dilutions	Western Blot 1:200-1:5000, ELISA 1:200-1:5000, Immunohistochemistry 1:500-1:5000, Immunohistochemistry-Paraffin
Application Notes	This conjugate is suitable for all immunoassay applications.

Publications

Herranen A. Unraveling the pleomorphic forms of Borrelia burgdorferi Thesis et al. 2014-01-01 (ELISA, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-74975

NBP1-96784

Mouse IgG Fc Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-74975

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

