Product Datasheet

Goat F(ab')2 anti-Human IgM Heavy Chain Secondary Antibody [HRP] NBP1-75028

Unit Size: 0.5 mg

Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-75028

Updated 6/22/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-75028



NBP1-75028

Goat F(ab')2 anti-Human IgM Heavy Chain Secondary Antibody [HRP]

glycerol, aliquot contents and freeze at -20C or below for long term storage. Clonality Polyclonal Preservative 0.1% ProClin 150 Reconstitution Instructions Rehydrate with 0.55 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily. Isotype IgG Conjugate HRP Purity Affinity purified Buffer 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free Product Description Pescription Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present	Coat I (ab)2 and I furnam ignit heavy Chain Secondary Antibody [Third]	
Concentration LYOPH mg/ml	Product Information	
Storage Storage Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage. Clonality Polyclonal 0.1% ProClin 150 Reconstitution Instructions Rehydrate with 0.55 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily. Isotype IgG Conjugate HRP Purity Affinity purified Buffer 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free Product Description Description Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily. Store lyophilized material at 2-8C. For long term storage after reconstitution, dillute with 50% glycerol and store at -20C as a liquid. Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Unit Size	0.5 mg
Glorality	Concentration	LYOPH mg/ml
Preservative 0.1% ProClin 150 Reconstitution Instructions Reconstitution Instructions Rehydrate with 0.55 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily. Isotype IgG Conjugate HRP Purity Affinity purified Buffer 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free Product Description Description Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily. Store lyophilized material at 2-8C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20C as a liquid. Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Storage	Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage.
Reconstitution Instructions Rehydrate with 0.55 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily. Isotype IgG Conjugate HRP Purity Affinity purified Buffer 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free Product Description Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily. Store lyophilized material at 2-8C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20C as a liquid. Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Clonality	Polyclonal
temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily. Isotype IgG Conjugate HRP Purity Affinity purified Buffer 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free Product Description Description Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily. Store lyophilized material at 2-8C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20C as a liquid. Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Preservative	0.1% ProClin 150
Conjugate HRP Purity Affinity purified Buffer 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free Product Description Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily. Store lyophilized material at 2-8C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20C as a liquid. Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Reconstitution Instructions	temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution
Purity Affinity purified Buffer 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free Product Description Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily. Store lyophilized material at 2-8C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20C as a liquid. Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Isotype	IgG
Buffer 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free Product Description Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily. Store lyophilized material at 2-8C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20C as a liquid. Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Conjugate	HRP
Product Description Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily. Store lyophilized material at 2-8C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20C as a liquid. Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Purity	Affinity purified
Purity > 90% based on SDS-PAGE Small amounts of intact IgG may be present Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily. Store lyophilized material at 2-8C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20C as a liquid. Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Buffer	
Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily. Store lyophilized material at 2-8C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20C as a liquid. Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Product Description	
Host Goat Gene ID 3507 Gene Symbol IGHM Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Description	daily. Store lyophilized material at 2-8C. For long term storage after reconstitution,
Gene Symbol Species Human Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Host	Goat
Species Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Gene ID	3507
Reactivity Notes Based on IEP, no reactivity is observed to non-immunoglobulin human serum proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Immunogen Purified Human IgM, Mu chain	Gene Symbol	IGHM
proteins and light chains on all human immunoglobulins Specificity/Sensitivity Based on IEP, this antibody reacts with heavy mu chains on human IgM Purified Human IgM, Mu chain	Species	Human
Immunogen Purified Human IgM, Mu chain	Reactivity Notes	
	Specificity/Sensitivity	Based on IEP, this antibody reacts with heavy mu chains on human IgM
Product Application Details	Immunogen	Purified Human IgM, Mu chain
Applications Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunohistochemistry	Applications	Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunohistochemistry
Recommended Dilutions Western Blot 1:200-1:5000, ELISA 1:200-1:5000, Immunohistochemistry 1:500-1:5000, Immunohistochemistry-Paraffin	Recommended Dilutions	Western Blot 1:200-1:5000, ELISA 1:200-1:5000, Immunohistochemistry 1:500-1:5000, Immunohistochemistry-Paraffin





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-75028

NB100-524 NOD2 Antibody (2D9) - BSA Free

NBP1-96772 Human IgM Heavy Chain Isotype Control

7268-CT-100 CTLA-4 [Unconjugated]

NB200-541 Complement C4b/d Antibody (16D2)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75028

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

