## **Product Datasheet**

### Goat anti-Llama IgG (H+L) Secondary Antibody [FITC] NBP1-75087

Unit Size: 1 mg

Store at 4C. Do not freeze.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-75087

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-75087



#### NBP1-75087

Goat anti-Llama IgG (H+L) Secondary Antibody [FITC]

| Product Information          |   |
|------------------------------|---|
| Unit Size                    | 1 mg  |
| Concentration                | 1.5 mg/ml   |
| Storage                      | Store at 4C. Do not freeze.   |
| Clonality                    | Polyclonal  |
| Preservative                 | 0.05% Sodium Azide  |
| Isotype                      | IgG   |
| Conjugate                    | FITC  |
| Purity                       | Affinity purified   |
| Buffer                       | 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free  |
| Product Description          |   |
| Description                  | Purity > 95% based on SDS-PAGE. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.                        |
| Host                         | Goat  |
| Species                      | Llama   |
| Reactivity Notes             | Based on IEP, no reactivity is observed to non-immunoglobulin llama serum immunoglobulins   |
| Specificity/Sensitivity      | Based on IEP, this Goat anti-Llama IgG (H+L) Secondary Antibody [FITC] reacts with heavy gamma chains on llama IgG and light chains on all llama immunoglobulins. |
| Immunogen                    | This Goat anti-Llama IgG (H+L) Secondary Antibody [FITC] was developed against purified llama IgG (H&L).  |
| Product Application Details  |   |
| Applications                 | Flow Cytometry, Immunomicroscopy  |
| <b>Recommended Dilutions</b> | Flow Cytometry 1:20-1:2000, Immunomicroscopy 1:20-1:2000  |
| Application Notes            | This conjugate is suitable for immunomicroscopy and flow cytometry.   |
|                              |   |





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75087

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

