

Product Datasheet

Goat anti-Llama IgG (H+L) Secondary Antibody [DyLight 488] NBP1-75090

Unit Size: 1 mg

Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage.

www.novusbio.com



technical@novusbio.com


Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-75090

Updated 10/30/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-75090



NBP1-75090**Goat anti-Llama IgG (H+L) Secondary Antibody [DyLight 488]**

| Product Information | |
|------------------------------------|--|
| Unit Size | 1 mg |
| Concentration | LYOPH mg/ml |
| Storage | Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage. |
| Clonality | Polyclonal |
| Preservative | 0.05% Sodium Azide |
| Reconstitution Instructions | Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily. |
| Isotype | IgG |
| Conjugate | DyLight 488 |
| Purity | Affinity purified |
| Buffer | 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free |

| Product Description | |
|--------------------------------|--|
| Description | <p>Purity > 95% based on SDS-PAGE. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily.</p> <p>Product is stable for up to 4 weeks at 2-8C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20C.</p> |
| Host | Goat |
| Species | Llama |
| Reactivity Notes | Based on IEP, no reactivity is observed to non-immunoglobulin llama serum immunoglobulins |
| Specificity/Sensitivity | Based on IEP, this Goat anti-Llama IgG (H+L) Secondary Antibody [DyLight 488] reacts with heavy gamma chains on llama IgG and light chains on all llama immunoglobulins. |
| Immunogen | This Goat anti-Llama IgG (H+L) Secondary Antibody [DyLight 488] was developed against purified llama IgG (H&L). |
| Notes | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. |

| Product Application Details | |
|------------------------------------|---|
| Applications | Flow Cytometry, Immunomicroscopy |
| Recommended Dilutions | Flow Cytometry 1:20-1:2000, Immunomicroscopy 1:20-1:2000 |
| Application Notes | This conjugate is suitable for immunomicroscopy and flow cytometry. |



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75090

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

