# **Product Datasheet**

# Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 594] NBP1-75147DL594

Unit Size: 0.5 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-75147DL594

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-75147DL594



### NBP1-75147DL594

**Application Notes** 

Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 594]

| Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 594] |   |
|--|---|
| Product Information  |   |
| Unit Size  | 0.5 ml  |
| Concentration  | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage  | Store at 4C in the dark.  |
| Clonality  | Polyclonal  |
| Preservative   | 0.05% Sodium Azide  |
| Isotype  | IgG   |
| Conjugate  | DyLight 594   |
| Purity   | Affinity purified   |
| Buffer   | 50mM Sodium Borate  |
| Product Description  |   |
| Host   | Goat  |
| Species  | Mouse   |
| Reactivity Notes   | Based on IEP, this antibody reacts with heavy (gamma) chains on mouse IgG and light chains on all mouse immunoglobulins.  |
| Specificity/Sensitivity                                    | Based on IEP, this Goat anti-Mouse IgG (H+L) Secondary Antibody (Preadsorbed) heavy gamma chains on mouse IgG and light chains on all mouse immunoglobulins. This antibody has been pre-adsorbed against bovine, goat, human, rabbit or rat IgG |
| Immunogen  | This Goat anti-Mouse IgG (H+L) Secondary Antibody (Pre-adsorbed) was developed against purified mouse IgG (H&L).  |
| Notes  | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   |
| Product Application Details                                |   |
| Applications   | Western Blot, ELISA, Immunoassay, Immunodiffusion, Immunohistochemistry, Immunoprecipitation  |
| Recommended Dilutions                                      | Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10 - 1:500, Immunoprecipitation 1:10 - 1:500, Immunodiffusion, Immunoassay  |



Optimal dilution of this antibody should be experimentally determined.



## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75147DL594

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

