Product Datasheet

Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) NBP1-75153-1000ug

Unit Size: 1000 ug

Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-75153

Updated 10/30/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-75153



NBP1-75153-1000ug

Goat anti-Mouse IgG (H+L) Seco	ndary Antibody [DyLight 488] (Pre-adsorbed)
Product Information	
Unit Size	1000 ug
Concentration	LYOPH mg/ml
Storage	Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Reconstitution Instructions	Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.
Isotype	IgG
Conjugate	DyLight 488
Purity	Affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free
Product Description	
Description	Purity > 95% based on SDS-PAGE. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. After reconstituted, prepare fresh working dilution daily.
	Product is stable for up to 4 weeks at 2-8C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20C.
Host	
Host Species	storage after rehydration, add an equal volume of glycerol and store at -20C.
	storage after rehydration, add an equal volume of glycerol and store at -20C. Goat
Species	storage after rehydration, add an equal volume of glycerol and store at -20C. Goat Mouse Based on IEP, no reactivity is observed to non-immunoglobulin mouse serum
Species Reactivity Notes	storage after rehydration, add an equal volume of glycerol and store at -20C. Goat Mouse Based on IEP, no reactivity is observed to non-immunoglobulin mouse serum proteins and bovine, goat, human, rabbit, or rat IgG Based on IEP, this Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) heavy gamma chains on mouse IgG and light chains on all mouse immunoglobulins. This antibody has been pre-adsorbed against bovine,
Species Reactivity Notes Specificity/Sensitivity	storage after rehydration, add an equal volume of glycerol and store at -20C. Goat Mouse Based on IEP, no reactivity is observed to non-immunoglobulin mouse serum proteins and bovine, goat, human, rabbit, or rat IgG Based on IEP, this Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) heavy gamma chains on mouse IgG and light chains on all mouse immunoglobulins. This antibody has been pre-adsorbed against bovine, goat, human, rabbit, rat IgG This Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 488] (Pre-
Species Reactivity Notes Specificity/Sensitivity Immunogen	storage after rehydration, add an equal volume of glycerol and store at -20C. Goat Mouse Based on IEP, no reactivity is observed to non-immunoglobulin mouse serum proteins and bovine, goat, human, rabbit, or rat IgG Based on IEP, this Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) heavy gamma chains on mouse IgG and light chains on all mouse immunoglobulins. This antibody has been pre-adsorbed against bovine, goat, human, rabbit, rat IgG This Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) was developed against purified mouse IgG (H&L).
Species Reactivity Notes Specificity/Sensitivity Immunogen Notes	storage after rehydration, add an equal volume of glycerol and store at -20C. Goat Mouse Based on IEP, no reactivity is observed to non-immunoglobulin mouse serum proteins and bovine, goat, human, rabbit, or rat IgG Based on IEP, this Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) heavy gamma chains on mouse IgG and light chains on all mouse immunoglobulins. This antibody has been pre-adsorbed against bovine, goat, human, rabbit, rat IgG This Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) was developed against purified mouse IgG (H&L).
Species Reactivity Notes Specificity/Sensitivity Immunogen Notes Product Application Details	storage after rehydration, add an equal volume of glycerol and store at -20C. Goat Mouse Based on IEP, no reactivity is observed to non-immunoglobulin mouse serum proteins and bovine, goat, human, rabbit, or rat IgG Based on IEP, this Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) heavy gamma chains on mouse IgG and light chains on all mouse immunoglobulins. This antibody has been pre-adsorbed against bovine, goat, human, rabbit, rat IgG This Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 488] (Pre-adsorbed) was developed against purified mouse IgG (H&L). DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.



This conjugate is suitable for immunomicroscopy and flow cytometry.

Application Notes



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75153

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

