Product Datasheet

Goat anti-Mouse IgM Heavy Chain Secondary Antibody [DyLight 755] NBP1-75182IR

Unit Size: 0.5 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-75182IR

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-75182IR



NBP1-75182IR

| Goat anti-Mouse IgM Heavy Chai | Goat anti-Mouse IgM Heavy Chain Secondary Antibody [DyLight 755] | |
|--------------------------------|--|--|
| Product Information | | |
| Unit Size | 0.5 ml | |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. | |
| Storage | Store at 4C in the dark. | |
| Clonality | Polyclonal | |
| Preservative | 0.05% Sodium Azide | |
| Isotype | IgG | |
| Conjugate | DyLight 755 | |
| Purity | Affinity purified | |
| Buffer | 50mM Sodium Borate | |
| Product Description | | |
| Host | Goat | |
| Gene ID | 3507 | |
| Gene Symbol | IGHM | |
| Species | Mouse | |
| Specificity/Sensitivity | Based on Immunoelectrophoresis, this antibody reacts with heavy chains on mouse IgM. | |
| Immunogen | Purified Mouse IgM, Mu chain | |
| Notes | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. | |
| Product Application Details | | |
| Applications | Western Blot, ELISA, Immunoassay, Immunodiffusion, Immunohistochemistry, Immunoprecipitation | |
| Recommended Dilutions | Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10 - 1:500, Immunoprecipitation 1:10 - 1:500, Immunodiffusion, Immunoassay | |

| Product Application Details | |
|------------------------------------|--|
| Applications | Western Blot, ELISA, Immunoassay, Immunodiffusion, Immunohistochemistry, Immunoprecipitation |
| Recommended Dilutions | Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10 - 1:500, Immunoprecipitation 1:10 - 1:500, Immunodiffusion, Immunoassay |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-75182IR

NB100-524 NOD2 Antibody (2D9) - BSA Free

NBP1-96772 Human IgM Heavy Chain Isotype Control

7268-CT-100 CTLA-4 [Unconjugated]

NB200-541 Complement C4b/d Antibody (16D2)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75182IR

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

