Product Datasheet Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight

405] NBP1-75949

Unit Size: 1 mg

Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-75949

Updated 10/30/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-75949



NBP1-75949

Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 405]

e ()	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Product Information	
Unit Size	1 mg
Concentration	LYOPH mg/ml
Storage	Store lyophilized antibody at 4C. Mix reconstituted liquid with an equal volume of glycerol, aliquot contents and freeze at -20C or below for long term storage.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Reconstitution Instructions	Rehydrate with 1.1 ml of deionized water and let stand 30 minutes at room temperature to dissolve. (Product has been overfilled to ensure complete recovery.) Centrifuge to remove any particulates. Prepare fresh working dilution daily.
Isotype	IgG
Conjugate	DyLight 405
Purity	Affinity purified
Buffer	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free
Product Description	
Description	Affinity purified antibody is > 95% based on SDS-PAGE. Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian. DyLight 405 (Ex = 400 nm; Em = 420 nm). After reconstituted, prepare fresh working dilution daily Product is stable for up to 4 weeks at 2-8C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20C.
Host	Goat
Species	Mouse
Reactivity Notes	Based on IEP, no reactivity is observed to non-immunoglobulin mouse serum immunoglobulins
Specificity/Sensitivity	Based on IEP, this Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 405] reacts with heavy gamma chains on mouse IgG and light chains on all mouse immunoglobulins.
Immunogen	This Goat anti-Mouse IgG (H+L) Secondary Antibody [DyLight 405] was developed against purified mouse IgG (H&L).
Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Product Application Details	
Applications	Flow Cytometry, Immunomicroscopy
Recommended Dilutions	Flow Cytometry 1:20 - 1:2000, Immunomicroscopy 1:20 - 1:2000
Application Notes	This conjugate is suitable for immunomicroscopy and flow cytometry.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-75949

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

