Product Datasheet

Zfp219 Antibody - BSA Free NBP1-76550

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76550

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76550



NBP1-76550

Zfp219 Antibody - BSA Free

Product Information Unit Size 0.1 mg Concentration 1 mg/ml Storage Storage at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 78 kDa Product Description Host Rabbit Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, 1-2 ug/ml, ELISA 1:100-1:2000, Immunochistochemistry, Immunohistochemistry/ Paraffin	Zfp219 Antibody - BSA Free	
Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 78 kDa Product Description Host Rabbit Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry.	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 78 kDa Product Description Host Rabbit Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry- Immunohistochemi	Unit Size	0.1 mg
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 78 kDa Product Description Host Rabbit Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry 5 ug/ml, Immunohistochemistry/ Immunofistochemistry.	Concentration	1 mg/ml
Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 78 kDa Product Description Host Rabbit Rabbit Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immuno	Storage	i
Isotype IgG Purity Peptide affinity purified Buffer PBS Target Molecular Weight 78 kDa Product Description Host Rabbit Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry 5 ug/ml, Immunocytochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry- Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry- Immunohistochemistry- Immunohistochemistry- Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunohistochemistry-	Clonality	Polyclonal
Purity Peptide affinity purified Buffer PBS Target Molecular Weight 78 kDa Product Description Host Rabbit Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Im	Preservative	0.02% Sodium Azide
Buffer PBS Target Molecular Weight 78 kDa Product Description Host Rabbit Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemistry-Immunohistochemi	Isotype	IgG
Target Molecular Weight 78 kDa Product Description Host Rabbit Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Purity	Peptide affinity purified
Product Description Host Rabbit Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Buffer	PBS
Host Gene ID 51222 Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Target Molecular Weight	78 kDa
Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Product Description	
Gene Symbol ZNF219 Species Human, Mouse, Rat Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Host	Rabbit
Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Gene ID	51222
Specificity/Sensitivity At least two isoforms of ZFP219 are known to exist; this antibody will recognize both. Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Gene Symbol	ZNF219
Immunogen Antibody was raised against an 18 amino acid synthetic peptide near the amino terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Species	Human, Mouse, Rat
terminus of human ZFP219. The immunogen is located within amino acids 90 - 140 of ZFP219. Amino Acid Squence: SHLRTHQPERPRSPAARL Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Specificity/Sensitivity	
Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Immunogen	terminus of human ZFP219. The immunogen is located within amino acids 90 -
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Product Application Details	
Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-	Applications	
	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-




Images


Western Blot: Zfp219 Antibody [NBP1-76550] - Analysis in EL4 cell lysate with antibody at 1 ug/mL.

95-**▼ZFP219**706251-

Immunocytochemistry/Immunofluorescence: Zfp219 Antibody [NBP1-76550] - Immunofluorescence of ZFP219 in mouse brain tissue with ZFP219 antibody at 20 ug/mL.



Immunohistochemistry-Paraffin: Zfp219 Antibody [NBP1-76550] - Mouse brain tissue with ZFP219 antibody at 5 ug/mL.



Publications

Yuan P, Wang S, Du T et al. ZNF219, a novel transcriptional repressor, inhibits transcription of the prototype foamy virus by interacting with the viral LTR promoter Virus research 2023-06-29 [PMID: 37356580] (WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-76550

NBP1-76550PEP Zfp219 Antibody Blocking Peptide

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76550

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

