## **Product Datasheet**

# 2B4/CD244/SLAMF4 Antibody - BSA Free NBP1-76558

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76558

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-76558



### NBP1-76558

2B4/CD244/SLAMF4 Antibody - BSA Free

Product Information Unit Size 0.1 mg Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 51744 Gene Symbol CD244 Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members. Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions  Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/ Immunofluorescence	2B4/CD244/SLAMF4 Antibody - BSA Free	
Concentration 1 mg/ml  Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.  Clonality Polyclonal  Preservative 0.02% Sodium Azide  Isotype IgG  Purity Peptide affinity purified  Buffer PBS  Product Description  Host Rabbit Gene ID 51744  Gene Symbol CD244  Species Human, Mouse, Rat  Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.  Clonality Polyclonal Preservative 0.02% Sodium Azide  Isotype IgG Purity Peptide affinity purified  Buffer PBS  Product Description Host Rabbit Gene ID 51744 Gene Symbol CD244  Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Unit Size	0.1 mg
cycles.  Clonality Polyclonal  Preservative 0.02% Sodium Azide  Isotype IgG  Purity Peptide affinity purified  Buffer PBS  Product Description  Host Rabbit  Gene ID 51744  Gene Symbol CD244  Species Human, Mouse, Rat  Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Concentration	1 mg/ml
Preservative 0.02% Sodium Azide  Isotype IgG  Purity Peptide affinity purified  Buffer PBS  Product Description  Host Rabbit  Gene ID 51744  Gene Symbol CD244  Species Human, Mouse, Rat  Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Storage	i g
Isotype IgG Purity Peptide affinity purified Buffer PBS  Product Description Host Rabbit Gene ID 51744 Gene Symbol CD244 Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Clonality	Polyclonal
Purity Peptide affinity purified  Buffer PBS  Product Description  Host Rabbit  Gene ID 51744  Gene Symbol CD244  Species Human, Mouse, Rat  Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Preservative	0.02% Sodium Azide
Buffer PBS  Product Description  Host Rabbit  Gene ID 51744  Gene Symbol CD244  Species Human, Mouse, Rat  Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Isotype	IgG
Product Description  Host Rabbit  Gene ID 51744  Gene Symbol CD244  Species Human, Mouse, Rat  Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Purity	Peptide affinity purified
Host Rabbit  Gene ID 51744  Gene Symbol CD244  Species Human, Mouse, Rat  Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Buffer	PBS
Gene Symbol CD244 Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Description	
Gene Symbol CD244  Species Human, Mouse, Rat  At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Host	Rabbit
Specificity/Sensitivity  At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen  Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications  Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions  Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Gene ID	51744
Specificity/Sensitivity  At least three isoforms of SLAMF4 are known to exist. SLAMF4 antibody is predicted to not cross-react with other SLAM protein family members.  Immunogen  Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications  Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions  Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Gene Symbol	CD244
predicted to not cross-react with other SLAM protein family members.  Antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications  Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions  Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Species	Human, Mouse, Rat
terminus of human SLAMF4. The immunogen is located within the last 50 amino acids of SLAMF4. Amino Acid Squence: PKAQNPARLSRKELEN  Product Application Details  Applications  Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions  Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Specificity/Sensitivity	
Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence  Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Immunogen	terminus of human SLAMF4. The immunogen is located within the last 50 amino
Recommended Dilutions Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Application Details	
,	Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence
	Recommended Dilutions	



# Images Western Blot: 2B4/CD244/SLAMF4 Antibody [NBP1-76558] - Daudi cell lysate with CD244 antibody at (A) 1 and (B) 2 ug/mL. A B 49 3628 Immunocytochemistry/Immunofluorescence: 2B4/CD244/SLAMF4 Antibody [NBP1-76558] - Immunofluorescence of SLAMF4 in Daudi cells with SLAMF4 antibody at 20 ug/mL.



### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP1-76558**

NBP1-76558PEP 2B4/CD244/SLAMF4 Antibody Blocking Peptide

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76558

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

