## **Product Datasheet**

### C1qTNF1/CTRP1 Antibody [CoraFluor™ 1] NBP1-76626CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76626CL1

Updated 10/22/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76626CL1



#### NBP1-76626CL1

C1qTNF1/CTRP1 Antibody [CoraFluor™ 1]

Unit Size 0.1 ml   Concentration Please see the vial label for concentration. If unlisted please contact technical services.   Storage Store at 4C in the dark. Do not freeze.   Clonality Polyclonal   Preservative No Preservative   Isotype IgG   Conjugate CoraFluor 1   Purity Peptide affinity purified   Buffer PBS   Product Description CoraFluor(TIM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 355 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(IM) 1 can be used for the development of robust and scalable TR-FRET foinding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.   Host Rabbit   Gene ID 114897   Gene Symbol C1QTNF1   Specificity/Sensitivity These proteins are often highly modified post-translationally and migrate in SDS-PAGE at positions other than their predicted size.   Immunogen Antibody was raised agaista 15 a mino acid synth	Product Information	
services.StorageStore at 4C in the dark. Do not freeze.ClonalityPolyclonalPreservativeNo PreservativeIsotypeIgGConjugateCoraFluor 1PurityPeptide affinity purifiedBufferPBSProduct DescriptionCoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 is a bigh performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 can be used for the development or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 can be used for the development or orbust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.HostRabbitGene ID114897Gene SymbolClQTNF1SpeciesHuman, Mouse, RatSpeciesHuman, Mouse, RatSpecificity/SensitivityThese proteins are often highly modified post-translationally and migrate in SDS-PAGE at positions other than their predicted size.ImmunogenCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patentProduct Application DetailsWestern Blot, ELISA, Immunohistochemistry/ Immunofluorescence, Imm	Unit Size	0.1 ml
Clonality Polyclonal   Preservative No Preservative   Isotype IgG   Conjugate CoraFluor 1   Purity Peptide affinity purified   Buffer PBS   Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 is aborbs UV ligh at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorbs ut the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.   Host Rabbit   Gene ID 114897   Gene Symbol C1QTNF1   Species Human, Mouse, Rat   Species Human, Mouse, Rat   Specificity/Sensitivity These protein agreement from Acid Squence: ERAEEQHEK/RPSQD   Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/00/25254   Product Application Details Western Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Paraffin	Concentration	•
Preservative No Preservative   Isotype IgG   Conjugate CoraFluor 1   Purity Peptide affinity purified   Buffer PBS   Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development, CoraFluor(IM) 1 assorbs UV ligh at approximately 340 nm, and emits a taproximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorbs ut the emission wavelengths of CoraFluor(TM) 1. CaraFluor(TM) 1. Cara be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.   Host Rabbit   Gene ID 114897   Gene Symbol C1QTNF1   Specificity/Sensitivity These proteins are often highly modified post-translationally and migrate in SDS-PAGE at positions other than their predicted size.   Immunogen Antibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids only under agreement from Massachusetts General Hospital. US patent 2022/0025254   Product Application Details Western Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/	Storage	Store at 4C in the dark. Do not freeze.
IsotypeIgGConjugateCoraFluor 1PurityPeptide affinity purifiedBufferPBSProduct DescriptionCoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CaraFluor(TM) 1 can be used for the development, toraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development, toraPluor, protein-protein interaction and protein quantification assays.HostRabbitGene BymbolC1QTNF1Specificity/SensitivityThese proteins are often highly modified post-translationally and migrate in SDS- PAGE at positions other than their predicted size.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry. Immunofucrescence, Immunohistochemistry. Paraffin	Clonality	Polyclonal
ConjugateCoraFluor 1PurityPeptide affinity purifiedBufferPBSProduct DescriptionCoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.HostRabbitGene ID114897Gene SymbolC1QTNF1Specificity/SensitivityThese proteins are often highly modified post-translationally and migrate in SDS- PAGE at positions other than their predicted size.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofuorescence, Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry-Paraffin	Preservative	No Preservative
PurityPeptide affinity purifiedBufferPBSProduct DescriptionCoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorbs UV light at approximately 440 nm, of CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.HostRabbitGene ID114897Gene SymbolC1QTNF1SpeciesHuman, Mouse, RatSpecificity/SensitivityThese proteins are often highly modified post-translationally and migrate in SDS- PAGE at positions other than their predicted size.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry/Immunofluorescence, Immunohistochemistry/Immunofluorescence, Immunohistochemistry/Paraffin	Isotype	IgG
Buffer PBS   Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.   Host Rabbit   Gene ID 114897   Gene Symbol C1QTNF1   Specificity/Sensitivity These proteins are often highly modified post-translationally and migrate in SDS-PAGE at positions other than their predicted size.   Immunogen Antibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQD   Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254   Product Application Details Applications   Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin	Conjugate	CoraFluor 1
Product Description   Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.   Host Rabbit   Gene ID 114897   Gene Symbol C1QTNF1   Specificity/Sensitivity These proteins are often highly modified post-translationally and migrate in SDS- PAGE at positions other than their predicted size.   Immunogen Antibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQD   Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254   Product Application Details Western Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry.Paraffin   Recommended Dilutions Western Blot, ELISA, Immunohistochemistry-Paraffin	Purity	Peptide affinity purified
DescriptionCoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1. Cara be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.HostRabbitGene ID114897Gene SymbolC1QTNF1SpeciesHuman, Mouse, RatSpecificity/SensitivityThese proteins are often highly modified post-translationally and migrate in SDS- PAGE at positions other than their predicted size.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry, Paraffin	Buffer	PBS
Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1. can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.HostRabbitGene ID114897Gene SymbolC1QTNF1SpeciesHuman, Mouse, RatSpeciesHuman, Mouse, RatSpeciesAntibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunocytochemistry-Immunofluorescence, Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry-Paraffin	Product Description	
Gene ID114897Gene SymbolC1QTNF1SpeciesHuman, Mouse, RatSpecificity/SensitivityThese proteins are often highly modified post-translationally and migrate in SDS- PAGE at positions other than their predicted size.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application Details ApplicationsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Paraffin	Description	Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and
Gene SymbolC1QTNF1SpeciesHuman, Mouse, RatSpecificity/SensitivityThese proteins are often highly modified post-translationally and migrate in SDS- PAGE at positions other than their predicted size.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry-Paraffin	Host	Rabbit
SpeciesHuman, Mouse, RatSpecificity/SensitivityThese proteins are often highly modified post-translationally and migrate in SDS- PAGE at positions other than their predicted size.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin	Gene ID	114897
Specificity/SensitivityThese proteins are often highly modified post-translationally and migrate in SDS- PAGE at positions other than their predicted size.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry.ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry.Paraffin	Gene Symbol	C1QTNF1
PAGE at positions other than their predicted size.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence, Immunofluore	Species	Human, Mouse, Rat
amino-terminus of human CTRP1. The immunogen is located within amino acids 40 - 90 of CTRP1. Amino Acid Squence: ERAEEQHEKYRPSQDNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry, Paraffin	Specificity/Sensitivity	
only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsApplicationsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry-Paraffin	Immunogen	amino-terminus of human CTRP1. The immunogen is located within amino acids
ApplicationsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin	Notes	only under agreement from Massachusetts General Hospital. US patent
Immunohistochemistry, Immunohistochemistry-Paraffin   Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin	Product Application Details	
Immunofluorescence, Immunohistochemistry-Paraffin	Applications	
Application NotesOptimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	
	Application Notes	Optimal dilution of this antibody should be experimentally determined.





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP1-76626CL1

NBP1-76626PEP	C1qTNF1/CTRP1 Antibody Blocking Peptide
9268-TN-050	C1qTNF1/CTRP1 [Unconjugated]
AF1180	DPPIV/CD26 Antibody [Unconjugated]
NBP1-97308	GLP-1R Antibody - BSA Free

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76626CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

