Product Datasheet

Beclin 1 Antibody - BSA Free NBP1-76648

Unit Size: 0.1 mg Store at 4C.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76648

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76648



NBP1-76648

Beclin 1 Antibody - BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Peptide affinity purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Rabbit Beclin 1 Antibody - BSA Free (NBP1-76648) is a polyclonal antibody validated for use in IHC, WB, ELISA and ICC/IF. Anti-Beclin 1 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered

Novus Biologicals Rabbit Beclin 1 Antibody - BSA Free (NBP1-76648) is a polyclonal antibody validated for use in IHC, WB, ELISA and ICC/IF. Anti-Beclin 1 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Rabbit
8678
BECN1
Human, Mouse, Rat
Immunogen displays the following percentage of sequence identity for non-tested species: Pig (88%).
Antibody was raised against a peptide corresponding to 17 amino acids near the center of human Beclin 1. The immunogen is located between 40-90 amino acids of Beclin 1.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1 ug/mL, ELISA 1:100-1:2000, Immunohistochemistry 2 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-Paraffin 2 ug/ml


Images

Immunohistochemistry: Beclin 1 Antibody - BSA Free [NBP1-76648] - Validation of Beclin 1 in Rat Spleen Tissue. Immunohistochemical analysis of paraffin-embedded rat spleen tissue using anti-Beclin 1 antibody at 1 ug/ml. Tissue was fixed with formaldehyde and blocked with 10% serum for 1h at RT; antigen retrieval was by heat mediation with a citrate buffer (pH6). Samples were incubated with primary antibody overnight at 4C. A goat anti-rabbit IgG H&L (HRP) at 1/250 was used as secondary. Counter stained with Hematoxylin.







Immunohistochemistry: Beclin 1 Antibody - BSA Free [NBP1-76648] - Validation of Beclin 1 in Rat Liver Tissue. Immunohistochemical analysis of paraffin-embedded rat liver tissue using anti-Beclin 1 antibody at 1 ug/ml. Tissue was fixed with formaldehyde and blocked with 10% serum for 1 h at RT; antigen retrieval was by heat mediation with a citrate buffer (pH6). Samples were incubated with primary antibody overnight at 4C. A goat anti-rabbit IgG H&L (HRP) at 1/250 was used as secondary. Counter stained with Hematoxylin.




Immunohistochemistry: Beclin 1 Antibody [NBP1-76648] - Beclin-1 in human brain tissue with Beclin-1 antibody at 2.5 ug/ml.




Immunohistochemistry: Beclin 1 Antibody [NBP1-76648] - Beclin-1 in mouse brain tissue with Beclin-1 antibody at 2 ug/ml.




Immunocytochemistry/ Immunofluorescence: Beclin 1 Antibody - BSA Free [NBP1-76648] - Validation of Beclin 1 in Mouse Brain Tissue. Immunofluorescent analysis of 4% paraformaldehyde-fixed mouse brain cells labeling Beclin 1 at 20 ug/mL, followed by goat anti-rabbit IgG secondary antibody at 1/500 dilution (green) and DAPI antibody (blue).




Immunohistochemistry: Beclin 1 Antibody - BSA Free [NBP1-76648] - Validation of Beclin 1 in Mouse Kidney Tissue. Immunohistochemical analysis of paraffin-embedded mouse kidney tissue using anti-Beclin 1 antibody at 1 ug/ml. Tissue was fixed with formaldehyde and blocked with 10% serum for 1 h at RT; antigen retrieval was by heat mediation with a citrate buffer (pH6). Samples were incubated with primary antibody overnight at 4C. A goat anti-rabbit IgG H&L (HRP) at 1/250 was used as secondary. Counter stained with Hematoxylin.




Immunocytochemistry/ Immunofluorescence: Beclin 1 Antibody - BSA Free [NBP1-76648] - Validation of Beclin 1 in HELA Cells. Immunofluorescent analysis of 4% paraformaldehyde-fixed Hela cells labeling Beclin 1 at 10 ug/mL, followed by goat anti-rabbit IgG secondary antibody at 1/500 dilution (green) and DAPI antibody (blue).




Western Blot: Beclin 1 Antibody - BSA Free [NBP1-76648] - Validation in Human Cell Lines. Loading: 15 ug of lysate Antibodies: Beclin 1, 1 ug/mL, 1h incubation at RT in 5% NFDM/TBST. Secondary: Goat Anti-Rabbit IgG HRP conjugate at 1:10000 dilution.



Western Blot: Beclin 1 Antibody - BSA Free [NBP1-76648] - Validation in Mouse Cell Lines. Loading: 15 ug of lysate Antibodies: Beclin 1, 1 ug/mL, 1h incubation at RT in 5% NFDM/TBST. Secondary: Goat Anti-Rabbit IgG HRP conjugate at 1:10000 dilution.



Western Blot: Beclin 1 Antibody - BSA Free [NBP1-76648] - Validation in Rat Cell Lines. Loading: 15 ug of lysate Antibodies: Beclin 1, 1 ug/mL, 1 h incubation at RT in 5% NFDM/TBST. Secondary: Goat Anti-Rabbit IgG HRP conjugate at 1:10000 dilution.



Publications

Lu JH, Wu YH, Juan TJ et al. Autophagy Alters Bladder Angiogenesis and Improves Bladder Hyperactivity in the Pathogenesis of Ketamine-Induced Cystitis in a Rat Model Biology (Basel) 2021-05-30 [PMID: 34070854] (Western Blot, Rat)

Ben Salem I, Boussabbeh M, Da Silva JP et al. SIRT1 protects cardiac cells against apoptosis induced by zearalenone or its metabolites alpha- and beta-zearalenol through an autophagy-dependent pathway. Toxicol. Appl. Pharmacol. 2016-11-23 [PMID: 27889531] (WB, Rat)

Details:

This citation used the HRP version of this antibody.



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

-ax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-76648

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00008678-P01-10ug Recombinant Human Beclin 1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76648

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

