

Product Datasheet

IL-32 Antibody - BSA Free NBP1-76684

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-76684

Updated 10/23/2024 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-76684



NBP1-76684


IL-32 Antibody - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Peptide affinity purified
Buffer	PBS
Target Molecular Weight	26 kDa
Product Description	
Host	Rabbit
Gene ID	9235
Gene Symbol	IL32
Species	Human
Specificity/Sensitivity	This antibody detects all isoforms of IL-32. Human IL-32 has 7 isoforms, including isoform 1 (234aa, 27 kDa), isoform 2 (188aa, 22 kDa), isoform 3 (178aa, 21 kDa), isoform 4 (131aa, 15 kDa), isoform 5 (168aa, 19 kDa), isoform 6 (179aa, 21 kDa) and isoform 7 (148aa, 17 kDa). NBP1-76684 can detect all human isoforms.
Immunogen	Antibody was raised against a peptide corresponding to 15 amino acids near the carboxy terminus of human IL-32. The immunogen is located within the last 50 amino acids of IL-32. Amino Acid Sequence: YGAPRGDKEELTPQK
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunofluorescence
Recommended Dilutions	Western Blot 0.5 - 4 ug/mL, Flow Cytometry, ELISA 1:100 - 1:2000, Immunohistochemistry 2-10 ug/mL, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-Paraffin 5 ug/mL, Immunofluorescence 20 ug/mL
Application Notes	Use in FLOW reported in scientific literature (PMID: 30641867).




Images


Western Blot: IL-32 Antibody [NBP1-76684] - Western Blot Validation in Human Spleen. Lysate, showing two isoforms of IL-32 Loading: 15 ug of lysates per lane. Antibodies: IL-32, NBP1-76684 (lane 1: 2 ug/mL and lane 2: 4 ug/mL), 1h incubation at RT in 5% NFDN/TBST. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10000 dilution.




Immunocytochemistry/Immunofluorescence: IL-32 Antibody [NBP1-76684] - Immunofluorescence of IL-32 in Human Spleen cells with IL-32 antibody at 20 ug/mL.




Immunohistochemistry-Paraffin: IL-32 Antibody [NBP1-76684] - Mouse spleen tissue with IL 32 antibody at 2 ug/mL.



Western Blot: IL-32 Antibody [NBP1-76684] - Western Blot Validation with Recombinant Protein. Loading: 30 ng of human IL-32 recombinant protein per lane. Antibodies: IL-32, NBP1-76684 (Lane 1: 0.5 ug/mL, Lane 2: 1 ug/mL, Lane 3: 2 ug/mL and Lane 4: 4 ug/mL), 1h incubation at RT in 5% NFDN/TBST. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10000 dilution. Observed at around 17 kDa.



Immunohistochemistry-Paraffin: IL-32 Antibody [NBP1-76684] - Human spleen tissue with IL-32 antibody at 10 ug/mL.



Publications

Casu Beatrice, Dondero Alessandra, Regis Stefano et al. Novel Immunoregulatory Functions of IL-18, an Accomplice of TGF-beta 1. Scientific Reports 2019-01-11 [PMID: 30641867] (FLOW, Human)

Frew John W, Hawkes Jason E, Krueger James G A systematic review and critical evaluation of immunohistochemical associations in hidradenitis suppurativa. F1000Research 2019-06-25 [PMID: 31281635] (IF/IHC, Human)

Thomi R, Yerly D, Yawalkar N et al. Interleukin-32 is highly expressed in lesions of hidradenitis suppurativa. Br. J. Dermatol. 2017-03-16 [PMID: 28301691] (ELISA, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-76684

NBP1-76684PEP	IL-32 Antibody Blocking Peptide
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76684

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

