Product Datasheet

HVEM/TNFRSF14 Antibody [DyLight 650] NBP1-76690C

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76690C

Updated 7/11/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76690C



NBP1-76690C

HVEM/TNFRSF14 Antibody [DyLight 650]

acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECC Notes		
ConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 650PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID8764Gene SymbolTNFRSF14SpeciesHuman, MouseReactivity Notes0Specificity/SensitivityMultiple isoforms of TNFRSF14 are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECCNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofluorescence, immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry-Paraffin	Product Information	
services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 650PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene JD8764Gene SymbolTNFRSF14SpeciesHuman, MouseReactivity Notes0Specificity/SensitivityMultiple isoforms of TNFRSF14 are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECCNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry-Paraffin	Unit Size	0.1 ml
ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugateDyLight 650PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostHostRabbitGene ID8764Gene SymbolTNFRSF14SpeciesHuman, MouseReactivity Notes0Specificity/SensitivityMultiple isoforms of TNFRSF14 are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECCNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry.Recommended DilutionsWestern Blot, ELISA, Immunocytochemistry.	Concentration	
Preservative 0.05% Sodium Azide Isotype IgG Conjugate DyLight 650 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description	Storage	Store at 4C in the dark.
Isotronance IgG Conjugate DyLight 650 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Image: Some Some Some Some Some Some Some Some	Clonality	Polyclonal
Conjugate DyLight 650 Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Host Rabbit Gene ID 8764 Gene Symbol TNFRSF14 Species Human, Mouse Reactivity Notes 0 Specificity/Sensitivity Multiple isoforms of TNFRSF14 are known to exist. Immunogen Antibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECC Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry, Paraffin	Preservative	0.05% Sodium Azide
Purity Peptide affinity purified Buffer 50mM Sodium Borate Product Description Rabbit Host Rabbit Gene ID 8764 Gene Symbol TNFRSF14 Species Human, Mouse Reactivity Notes 0 Specificity/Sensitivity Multiple isoforms of TNFRSF14 are known to exist. Immunogen Antibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECC Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin	Isotype	IgG
Buffer 50mM Sodium Borate Product Description Rabbit Host Rabbit Gene ID 8764 Gene Symbol TNFRSF14 Species Human, Mouse Reactivity Notes 0 Specificity/Sensitivity Multiple isoforms of TNFRSF14 are known to exist. Immunogen Antibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECC Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistr	Conjugate	DyLight 650
Product Description Rabbit Host Rabbit Gene ID 8764 Gene Symbol TNFRSF14 Species Human, Mouse Reactivity Notes 0 Specificity/Sensitivity Multiple isoforms of TNFRSF14 are known to exist. Immunogen Antibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECC Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunohistochemistry/Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry, Paraffin	Purity	Peptide affinity purified
HostRabbitGene ID8764Gene SymbolTNFRSF14SpeciesHuman, MouseReactivity Notes0Specificity/SensitivityMultiple isoforms of TNFRSF14 are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECCNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry.	Buffer	50mM Sodium Borate
Gene ID8764Gene SymbolTNFRSF14SpeciesHuman, MouseReactivity Notes0Specificity/SensitivityMultiple isoforms of TNFRSF14 are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECCNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin	Product Description	
Gene Symbol TNFRSF14 Species Human, Mouse Reactivity Notes 0 Specificity/Sensitivity Multiple isoforms of TNFRSF14 are known to exist. Immunogen Antibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECC Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin Recommended Dilutions Western Blot, ELISA, Immunofluorescence, Immunohistochemistry-Paraffin	Host	Rabbit
SpeciesHuman, MouseReactivity Notes0Specificity/SensitivityMultiple isoforms of TNFRSF14 are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECCNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohi	Gene ID	8764
Reactivity Notes0Specificity/SensitivityMultiple isoforms of TNFRSF14 are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECCNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry,	Gene Symbol	TNFRSF14
Specificity/SensitivityMultiple isoforms of TNFRSF14 are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECCNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunocytochemistry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Paraffin	Species	Human, Mouse
Immunogen Antibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECC Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Mestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin Recommended Dilutions Western Blot, ELISA, Immunofluorescence, Immunohistochemistry, Paraffin	Reactivity Notes	0
amino terminus of human TNFRSF14. The immunogen is located within amino acids 20 - 70 of TNFRSF14. Amino Acid Squence: PSCREDEYPVGSECCNotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin	Specificity/Sensitivity	Multiple isoforms of TNFRSF14 are known to exist.
DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry	Immunogen	amino terminus of human TNFRSF14. The immunogen is located within amino
ApplicationsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Product Application Details	
Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Applications	
Application Notes Optimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	
	Application Notes	Optimal dilution of this antibody should be experimentally determined.

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-76690C

356-HV-100/CF	HVEM/TNFRSF14 [Unconjugated]
210-TA-005	TNF-alpha [Unconjugated]
NBP2-61309-100ug	Recombinant Human HVEM/TNFRSF14 Fc fusion Protein
NBP2-24891C	Rabbit IgG Isotype Control [DyLight 650]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76690C

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

