# **Product Datasheet**

# PD-L1 Antibody [mFluor Violet 610 SE] NBP1-76769MFV610

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76769MFV610

Updated 9/20/2023 v.20.1



Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76769MFV610



## NBP1-76769MFV610

PD-L1 Antibody [mFluor Violet 610 SE]

Unit Size   0.1 ml     Concentration   Please see the vial label for concentration. If unlisted please contact technical services.     Storage   Store at 4C in the dark.     Clonality   Polyclonal     Preservative   0.05% Sodium Azide     Isotype   IgG     Conjugate   mFluor Violet 610 SE     Purity   Peptide affinity purified     Buffer   50mM Sodium Borate     Product Description   Entry     Host   Rabbit     Gene ID   29126     Gene Symbol   CD274     Specificity/Sensitivity   PD-L1 antibody has no cross-reactivity to PD-L2.     Immunogen   mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.     Product Application Details   Western Blot, ELISA, Flow Cytometry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Townohistochemistry, Immunofluorescence, Immunohistochemistry, Immunocytochemistry Whole-Mount, Knockdown validated     Recommended Dilutions   Western Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Voleer-Mount, Knockdown validated, Dual RNAscope ISH-I	Product Information	
services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct Description29126Gene ID29126Gene SymbolCD274Specificity/SensitivityPD-L1 antibody has no cross-reactivity to PD-L2.ImmunogenMFluor (TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Fluor (Strommunofilionescence, Immunohistochemistry, Immunohistochemistry, Paraffin, Immunopercipitation, Juan RNAscope ISH-HIC, Immunofiliorescence, Immunohistochemistry-Paraffin, Immunoprecipitation, Dual RNAscope ISH-HIC, Immunoficiorescence, Immunohistochemistry-Paraffin, Immunoprecipitation, Dual RNAscope ISH-HIC, Immunoficiorescence, Immunohistochemistry-Forzen, Immunohistochemistry-Forze	Unit Size	0.1 ml
ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID29126Gene SymbolCD274SpeciesHuman, Mouse, RatSpecificity/SensitivityPD-L1 antibody has no cross-reactivity to PD-L2.ImmunogenAntibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunohistochemistry/Enzen, Immunohistochemistry, Immunohistochemistry/Mole-Mount, Knockdown ValidatedRecommended DilutionsWestern Blot, Flow Cytometry, LISA, Immunohistochemistry, Frozen, Immunohistochemistry, Frozen, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin, Immunohistochemistry, Frozen, Immunohistochemistry, Frozen, Immunohistochemistry, Genesen, Immun	Concentration	
Preservative0.05% Sodium AzideIsotypeIgGConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID29126Gene SymbolCD274SpeciesHuman, Mouse, RatSpecificity/SensitivityPD-L1 antibody has no cross-reactivity to PD-L2.ImmunogenAntibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunohistochemistry, Immunohistochemistry/Frozen, Immunohistochemistry, Immunohistochemistry, Vender-Mout, Kinockdown ValidatedRecommended DilutionsWestern Blot, FLISA, Flow Cytometry, ELISA, Immunohistochemistry, Whole-Mount, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Vehole-Mount, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochem	Storage	Store at 4C in the dark.
IsotypeIgGConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID29126Gene SymbolCD274SpeciesHuman, Mouse, RatSpeciesPD-L1 antibody has no cross-reactivity to PD-L2.ImmunogenAntibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunohistochemistry, Immunohistochemistry, Frozen, Immunohistochemistry, Frozen, Immunohistochemistry, Frozen, Immunohistochemistry, Frozen, Immunohistochemistry, Frozen, Immunohistochemistry, Immunohistochemistry, Frozen, Immunohistochemistry, Frozen, Immunohistochemistry, Frozen, Immunohistochemistry, Immunohistochemistry, Frozen,	Clonality	Polyclonal
ConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID29126Gene SymbolCD274SpeciesHuman, Mouse, RatSpeciesHuman, Mouse, RatSpecificity/SensitivityPD-L1 antibody has no cross-reactivity to PD-L2.ImmunogenAntibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Furzen, Immunohistochemistry, Furzen, Immunohistochemistry, Furzen, Immunohistochemistry, Furzen, Immunohistochemistry, Forzen, Immunohistochemistry, Wole.Nount, Immunohistochemistry, Forzen, Immunohistochemistry, Wole.Nount, Immunohistochemistry, Forzen, Im	Preservative	0.05% Sodium Azide
PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID29126Gene SymbolCD274SpeciesHuman, Mouse, RatSpecificity/SensitivityPD-L1 antibody has no cross-reactivity to PD-L2.ImmunogenAntibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry, Paraffin, Immunohistochemistry, Vhole-Mount, Knockdown ValidatedRecommended DilutionsWestern Blot, FLOW Cytometry, ELISA, Immunohistochemistry, Immunoprecipitation, Dual RNAscope ISH-IHC, Immunoprecipitation, Immunohistochemistry/Paraffin, Immunoprecipitation, Paraffin, Immunoprecipitation, Paraffin, Immunoprecipitation, Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry/Frozen, Immunohistochemistry/Frozen, Immunohistochemistry, Paraffin, Immunoprecipitation, Paraffin, Immunohistochemistry, Frozen, Immunohistochemistry, Paraffin, Immunohistochemistry, Frozen, Immunohistochemistry, Paraffin, Immunohistochemistr	Isotype	IgG
Buffer 50mM Sodium Borate   Product Description Rabbit   Host Rabbit   Gene ID 29126   Gene Symbol CD274   Species Human, Mouse, Rat   Specificity/Sensitivity PD-L1 antibody has no cross-reactivity to PD-L2.   Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.   Notes mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.   Product Application Details Vestern Blot, ELISA, Flow Cytometry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunopitorescence, Immunohistochemistry, Immunohistochemistry/Prozen, Immunohistochemistry, Immunohistochemistry/Prozen, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin, Immunohistochemistry, Paraffin, Immunohistochemistry, Paraffin, Immunohistochemistry, Frozen, Immunohistochemistry, Paraffin, Immunohistochemistry, Paraffin, Immunohistochemistry, Frozen, Immunohistochemistry, Paraffin, Immunohistochemistry, Para	Conjugate	mFluor Violet 610 SE
Product Description   Host Rabbit   Gene ID 29126   Gene Symbol CD274   Species Human, Mouse, Rat   Specificity/Sensitivity PD-L1 antibody has no cross-reactivity to PD-L2.   Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.   Notes mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.   Product Application Details Western Blot, ELISA, Flow Cytometry, Immunohistochemistry-Paraffin, Immunohistochemistry-Prozen, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Whole-Mount, Knockdown Validated   Recommended Dilutions Western Blot, Flow Cytometry, ELISA, Immunohistochemistry, Paraffin, Immunohistochemistry, Imm	Purity	Peptide affinity purified
HostRabbitGene ID29126Gene SymbolCD274SpeciesHuman, Mouse, RatSpecificity/SensitivityPD-L1 antibody has no cross-reactivity to PD-L2.ImmunogenAntibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunohistochemistry-Frozen, Immunohistochemistry, Paraffin, Immunoprecipitation, Dual RNAscope ISH-IHC, Immunofluorescence, Immunohistochemistry Whole-Mount, Knockdown ValidatedRecommended DilutionsWestern Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunohistochemistry Vhole-Mount, Immunohistochemistry, Immunohistochemistry Whole-Mount, Immunohistochemistry, Immunohistochemistry Vhole-Mount, Immunohistochemistry, Immunohistochemistry Vhole-Mount, Immunohistochemistry, Immunohistochemistry Vhole-Mount, Immunohistochemistry, Immunohistochemistry Vhole-Mount, Immunohistochemistry-Frozen, Immunohistochemistry Vhole-Mount, Immunohistochemistry-Frozen, Immunohistoch	Buffer	50mM Sodium Borate
Gene ID29126Gene SymbolCD274SpeciesHuman, Mouse, RatSpecificity/SensitivityPD-L1 antibody has no cross-reactivity to PD-L2.ImmunogenAntibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunopitochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry Whole-Mount, Knockdown ValidatedRecommended DilutionsWestern Blot, Flow Cytometry, ELISA, Immunopfluorescence, Immunohistochemistry, Immunoprecipitation, Dual RNAscope ISH-IHC, Immunoprecipitation, Immunoprecipitation, Iumunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunoprecipitation, Dual RNAscope ISH-IHC, Immunoprecipitation, Immunoprecipitation, Iumunohistochemistry-Frozen, Immunohistochemistry Whole-Mount, Knockdown Validated	Product Description	
Gene SymbolCD274SpeciesHuman, Mouse, RatSpecificity/SensitivityPD-L1 antibody has no cross-reactivity to PD-L2.ImmunogenAntibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Knockdown Validated, Dual RNAscope ISH-IHC	Host	Rabbit
Species Human, Mouse, Rat   Specificity/Sensitivity PD-L1 antibody has no cross-reactivity to PD-L2.   Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.   Notes mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.   Product Application Details Western Blot, ELISA, Flow Cytometry, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry Whole-Mount, Knockdown Validated   Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry Whole-Mount, Knockdown Validated   Recommended Dilutions Western Blot, Plow Cytometry, Immunohistochemistry, Immunohistochemistry, Vhole-Mount, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Vhole-Mount, Knockdown Validated	Gene ID	29126
Specificity/SensitivityPD-L1 antibody has no cross-reactivity to PD-L2.ImmunogenAntibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Frozen, Immunohistochemistry, Paraffin, Immunoprecipitation, Dual RNAscope ISH-IHC, Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Ist, Immunoprecipitation, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry. Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry. Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry. Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry. Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry. Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry. Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry. Paraffin	Gene Symbol	CD274
ImmunogenAntibody was raised against a 17 amino acid synthetic peptide from near the center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Paraffin, Immunohistochemistry. Frozen, Immunohistochemistry. Paraffin, Immunohistochemistry Whole-Mount, Knockdown ValidatedRecommended DilutionsWestern Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunohistochemistry/Paraffin, Immunohistochemistry. Paraffin, Immunohistochemistry	Species	Human, Mouse, Rat
center of human PD-L1. The immunogen is located within amino acids 60-110 of PD-L1.NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunohistochemistry Whole-Mount, Knockdown ValidatedRecommended DilutionsWestern Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunohistochemistry/Paraffin, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry Whole-Mount, Knockdown Validated	Specificity/Sensitivity	PD-L1 antibody has no cross-reactivity to PD-L2.
demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsApplicationsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunohistochemistry Whole-Mount, Knockdown ValidatedRecommended DilutionsWestern Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry Whole-Mount, Knockdown ValidatedRecommended DilutionsWestern Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry.Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry.Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry.Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry Whole-Mount, Immunofluorescence, Knockdown Validated, Dual RNAscope ISH-IHC	Immunogen	center of human PD-L1. The immunogen is located within amino acids 60-110 of
ApplicationsWestern Blot, ELISA, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation, Dual RNAscope ISH-IHC, Immunofluorescence, Immunohistochemistry Whole-Mount, Knockdown ValidatedRecommended DilutionsWestern Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Validated, Dual RNAscope ISH-IHC	Notes	demand. Actual recovery may vary from the stated volume of this product. The
Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunohistochemistry Whole-Mount, Knockdown ValidatedRecommended DilutionsWestern Blot, Flow Cytometry, ELISA, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry Whole-Mount, Immunohistochemistry-Frozen, Validated, Dual RNAscope ISH-IHC	Product Application Details	
Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry Whole-Mount, Immunofluorescence, Knockdown Validated, Dual RNAscope ISH-IHC	Applications	Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation, Dual RNAscope ISH-IHC, Immunofluorescence,
Application Notes Optimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	Immunocytochemistry/Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry Whole-Mount, Immunofluorescence, Knockdown
	Application Notes	Optimal dilution of this antibody should be experimentally determined.



#### Images

PD-L1 Antibody [mFluor Violet 610 SE] [NBP1-76769MFV610] - Vial of mFluor Violet 610 conjugated antibody. mFluor Violet 610 is optimally excited at 421 nm by the Violet laser (405 nm) and has an emission maximum of 613 nm.



www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP1-76769MFV610

NBP1-76769PEP-0.1mgPD-L1 Antibody Blocking Peptide210-TA-005TNF-alpha [Unconjugated]156-B7-100PD-L1 [Unconjugated]6507-IL-010/CFIL-4 [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76769MFV610

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

