Product Datasheet

CLIP170 Antibody - BSA Free NBP1-76921

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-76921

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-76921



NBP1-76921


CLIP170 Antibody - BSA Free

Unit Size 0.1 mg Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 6249 Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence	CLIP170 Antibody - BSA Free	
Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 6249 Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 6249 Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Unit Size	0.1 mg
cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 6249 Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Concentration	1 mg/ml
Preservative 0.02% Sodium Azide Isotype IgG Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 6249 Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Storage	· ·
Isotype Purity Peptide affinity purified Buffer PBS Product Description Host Rabbit Gene ID 6249 Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Clonality	Polyclonal
Purity Buffer PBS Product Description Host Rabbit Gene ID 6249 Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Preservative	0.02% Sodium Azide
Product Description Host Rabbit Gene ID 6249 Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Isotype	IgG
Product Description Host Rabbit Gene ID 6249 Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Purity	Peptide affinity purified
Host Rabbit Gene ID 6249 Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Buffer	PBS
Gene Symbol CLIP1 Species Human, Mouse, Rat Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Description	
Gene Symbol CLIP1 Species Human, Mouse, Rat Immunogen Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Host	Rabbit
Species Human, Mouse, Rat Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Gene ID	6249
Antibody was raised against a 17 amino acid synthetic peptide from near the carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Gene Symbol	CLIP1
carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence: CNNYDSDDQEKQSKKKPR Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Species	Human, Mouse, Rat
Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Immunogen	carboxy terminus of human CLIP170. The immunogen is located within amino acids 1340 - 1390 of CLIP170. Amino Acid Squence:
Recommended Dilutions Western Blot 0.5-1 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/	Product Application Details	
, and a second of the second o	Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence
	Recommended Dilutions	



Images

Western Blot: CLIP170 Antibody [NBP1-76921] - Rat brain tissue lysate with CLIP170 antibody at (A) 0.5 and (B) 1 ug/ml.



Immunocytochemistry/Immunofluorescence: CLIP170 Antibody [NBP1-76921] - Immunofuorescence of CLIP170 in human brain tissue with CLIP170 antibody at 20 ug/ml.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-76921

NBP1-76921PEP CLIP170 Antibody Blocking Peptide

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76921

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

