Product Datasheet

SCF/c-kit Ligand Antibody - BSA Free NBP1-77030

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-77030

Updated 10/19/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-77030




NBP1-77030

SCF/c-kit Ligand Antibody - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Peptide affinity purified
Buffer	PBS
Target Molecular Weight	31 kDa
Product Description	
Host	Rabbit
Gene ID	4254
Gene Symbol	KITLG
Species	Human, Mouse, Rat
Specificity/Sensitivity	Human SCF/c-kit Ligand has 3 isoforms, including isoform 1 (273aa, 30.9kD), isoform 2 (245aa, 27.9kD) and isoform 3 (238aa, 26.7kD). Mouse SCF/c-kit Ligand has 2 isoforms, including isoform 1 (273aa, 30.6kD) and isoform 2 (245aa, 27.6kD). Rat SCF/c-kit Ligand also has 2 isoforms, including isoform 1 (273aa, 30.7kD) and isoform 2 (245aa, 27.7kD). NBP1-77030 can detect human and possibly detect mouse and rat.
Immunogen	Antibody was raised against a peptide corresponding to 18 amino acids near the center of human SCF/c-kit Ligand. The immunogen is located within amino acids 100-150 of SCF/c-kit Ligand. Amino Acid Sequence: KENSSKDLKKSFKSPEPR
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 2.5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry- Paraffin 2.5 ug/ml
Images	

Images

Western Blot: SCF/c-kit Ligand Antibody [NBP1-77030] - Loading: 15 ug of lysates per lane. Antibodies: SCF (1 ug/mL), 1h incubation at RT in 5% NFDM/TBST. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10000 dilution.





	Page 2 of 4 v.20.1 Updated 10/19/2023
Immunocytochemistry/Immunofluorescence: SCF/c-kit Ligand Antibody [NBP1-77030] - SCF in Human Brain tissue with SCF antibody at 20 ug/mL.	
Immunohistochemistry-Paraffin: SCF/c-kit Ligand Antibody [NBP1- 77030] - Mouse brain tissue with SCF antibody at 2.5 ug/ml.	
Western Blot: SCF/c-kit Ligand Antibody [NBP1-77030] - Analysis of SCF in A431 cell lysate with SCF antibody at (A) 1 and (B) 2 ug/mL.	A B 55- 35- 25- SCF 4 SCF 15-
Western Blot: SCF/c-kit Ligand Antibody [NBP1-77030] - Loading: 30 ng of human SCF recombinant protein per lane. Antibodies: SCF (Lane 1: 1 ug/mL and Lane 2: 2 ug/mL), 1h incubation at RT in 5% NFDM/TBST. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10000 dilution. Observed at around 20kD.	KDa 1 2 40- 25- 15- 10-



Publications

Jensen BM, Metcalfe DD, Gilfillan AM. Targeting kit activation: a potential therapeutic approach in the treatment of allergic inflammation. Inflamm. Allergy Drug Targets; 6:57-62. 2007-01-01 [PMID: 17352689]

Reber L, Da Silva CA, Frossard N. Stem cell factor and its receptor c-Kit as targets for inflammatory diseases. Euro. J. Pharmacology; 533:327-40. 2006-01-01 [PMID: 16483568]

Lukacs NW, Strieter RM, Lincoln PM et al. Stem cell factor (c-kit ligand) influences eosinophil recruitment and histamine levels in allergic airway inflammation. J. Immunol. 156:3945-51. 1996-01-01 [PMID: 8621935]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-77030

NBP1-77030PEP	SCF/c-kit Ligand Antibody Blocking Peptide
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-77030

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

