Product Datasheet

Occludin Antibody [mFluor Violet 610 SE] NBP1-77037MFV610

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-77037MFV610

Updated 10/23/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-77037MFV610



NBP1-77037MFV610

Occludin Antibody [mFluor Violet 610 SE]

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct Description100506658Gene ID100506658Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenMibiody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. The informatogen is product. The volume will be greater than or qual to the unit size stated on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or qual to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParafinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry-ParafinApplication NotesOptimal dilution of this antibody should be experimentally determined.	Product Information	
services.StorageStore at 4C in the dark.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50m Sodium BorateProduct Description100506658Gene ID100506658Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMWGDYDRGKTNotesMFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demard. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry-Paraffin	Unit Size	0.1 ml
ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID100506658Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a traceovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin	Concentration	
Preservative0.05% Sodium AzideIsotypeIgGConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID100506658Gene SymbolOCLNSpeciesHurnan, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistoche	Storage	Store at 4C in the dark.
IsotypeIgGConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionRabbitHostRabbitGene ID100506658Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of NUTAN ACLAN CENNATION ACLAN The immunogen is located within the last 50 amino acids of OCLN. The immunogen is located on the datasheet.Product Application DetailsMestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunofluorescence, Immunofluorescence, Immunofluorescence, Immunofluorescence, Immunofluorescence, Immunofluorescence, Immunofluorescence, Immunofluorescence, Immunofluorescence, Immunohistochemistry.Recommended DilutionsWestern Blot, ELISA, Immunofluorescence, Immunohistochemistry.	Clonality	Polyclonal
ConjugatemFluor Violet 610 SEPurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID100506658Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemi	Preservative	0.05% Sodium Azide
PurityPeptide affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID100506658Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin	Isotype	IgG
Buffer50mM Sodium BorateProduct DescriptionHostRabbitGene ID100506658Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesMFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunohistoch	Conjugate	mFluor Violet 610 SE
Product DescriptionHostRabbitGene ID100506658Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry,	Purity	Peptide affinity purified
HostRabbitGene ID100506658Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Buffer	50mM Sodium Borate
Gene ID100506658Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry.	Product Description	
Gene SymbolOCLNSpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, ParaffinRecommended DilutionsWestern Blot, ELISA, Immunofluorescence, Immunohistochemistry-Paraffin	Host	Rabbit
SpeciesHuman, Mouse, RatMarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunocytochemistry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunohistochemistry-Paraffin	Gene ID	100506658
MarkerTight Junctions MarkerSpecificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Gene Symbol	OCLN
Specificity/SensitivityAt least three isoforms of OCLN are known to exist.ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunocytochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry.	Species	Human, Mouse, Rat
ImmunogenAntibody was raised against a 15 amino acid synthetic peptide from near the carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, ParaffinRecommended DilutionsWestern Blot, ELISA, Immunofluorescence, Immunohistochemistry, Paraffin	Marker	Tight Junctions Marker
carboxy terminus of human OCLN. The immunogen is located within the last 50 amino acids of OCLN. Amino Acid Squence: SHIKKMVGDYDRQKTNotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry,	Specificity/Sensitivity	At least three isoforms of OCLN are known to exist.
demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsApplicationsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immun	Immunogen	carboxy terminus of human OCLN. The immunogen is located within the last 50
ApplicationsWestern Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Notes	demand. Actual recovery may vary from the stated volume of this product. The
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Product Application Details	
Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Applications	
Application NotesOptimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	
	Application Notes	Optimal dilution of this antibody should be experimentally determined.

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-77037MFV610

H00004950-P01-10ug	Recombinant Human Occludin GST (N-Term) Protein
210-TA-005 H00004950-Q01-10ug	TNF-alpha [Unconjugated] Recombinant Human Occludin GST (N-Term) Protein
DVE00	VEGF [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-77037MFV610

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

