# **Product Datasheet**

# Nanog Antibody - BSA Free NBP1-77109

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-77109

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-77109



# NBP1-77109


Nanog Antibody - BSA Free

Nanog Antibody - BSA Free	
Product Information	
0.1 mg	
1 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.02% Sodium Azide	
IgG	
Peptide affinity purified	
PBS	
35 kDa	
Product Description	
Rabbit	
79923	
NANOG	
Human, Mouse, Rat	
Immunogen displays the following percentage of sequence identity for non-tested species: Bovine (89%)	
Embryonic Stem Cell Marker	
Antibody was raised against a 19 amino acid synthetic peptide near the center of human NANOG. The immunogen is located within amino acids 130 - 180 of NANOG. Amino Acid Squence: KQVKTWFQNQRMKSKRWQK	
Product Application Details	
Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin	
Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/mL, Immunohistochemistry-Paraffin 5 ug/ml	




#### **Images**


Western Blot: Nanog Antibody [NBP1-77109] - Human spleen tissue lysate antibody at (A) 1 and (B) 2 ug/mL.



Immunocytochemistry/Immunofluorescence: Nanog Antibody [NBP1-77109] - Immunofluorescence of NANOG in Human Spleen cells with NANOG antibody at 20 ug/mL.



Immunohistochemistry-Paraffin: Nanog Antibody [NBP1-77109] - Human spleen tissue with NANOG antibody at 5 ug/mL.



#### **Publications**

Siu WS, Ma H, Ko CH et al. Rat Plantar Fascia Stem/Progenitor Cells Showed Lower Expression of Ligament Markers and Higher Pro-Inflammatory Cytokines after Intensive Mechanical Loading or Interleukin-1? Treatment In Vitro Cells 2023-09-06 [PMID: 37759446] (Immunocytochemistry/ Immunofluorescence)





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP1-77109**

NBP1-77109PEP Nanog Antibody Blocking Peptide

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-77109

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

